

# Spider® Shelving System

SPIDER® SHELVING SYSTEM



**SPIDER®**  
SHELVING SYSTEM

## THE MOST VERSATILE SHELVING SYSTEM THAT EXISTS

### *Much more than a simple shelving unit!*

Sturdy construction and quick assembly, the Spider® shelving system meets all of your storage needs. With its vast range of accessories, it offers the most diverse options on the market, making finding solutions for all your storage problems as easy as 1, 2, 3.

- The combination of shelving and Mini-Racking opens up a whole new avenue of possibilities;
- Adding modular drawers guarantees you secure organization of all your small parts;
- Vertical expansion is also a possibility thanks to our multi-level shelving system.

Designed for intensive use, our modular storage system will maximize the space in your warehouse, parts department, maintenance workshop, distribution center, etc.

Our expertise ensures you peace of mind for all of your needs, present and future!



R5XEC-2004




The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

# Spider® Shelving System


## The Rousseau Advantages




Assembly is simple : shelves are installed on the posts using 4 compression clips, in 14 gauge steel. This makes for easy and fast adjustments.



Mini-Racking integrated into your shelving optimizes your storage possibilities.



A unique and super functional post. The common post is the cornerstone of the structure. Its unique T-shape offers up to 7 fixing zones for different applications. Plus, its hollow center makes for installations without interference.




The steel beams are designed for several types of decking : wood, steel and wire. Two types of beams are available, depending on the load capacity and dimensions required. Load capacity can reach 1925 lb.



Each component is designed to offer you an easy-to-use product.

**NOTE** The unique shape of the Spider® post is a Rousseau Metal Inc. trademark.

## General Dimensions



Index	Page(s)
<b>Spider® Shelving System</b>	60 - 61
<b>Industrial Shelving</b>	
Proposals	62 - 66
Accessories	67 - 74
Components	75 - 77
<b>Mini-Racking</b>	
Proposals	78 - 79
Accessories	80 - 81
Components	82 - 84
<b>Mobility</b>	
Proposals	85 - 86
Components	87

**NOTE** Popular dimensions shown in red.



SRE9001M



R5SSE-874806



SRE9001

# Industrial Shelving Proposals

SHELVING



SHE1024




SHE2024

**When ordering, model numbers must be completed as follows :**



**H** for posts with smooth finish surface  
**R** for posts with perforated surface

	Starter Unit	Add-on Unit
<b>BOLTED uprights</b>	<b>D</b>	<b>A</b>
<b>WELDED uprights</b>	<b>E</b>	<b>B</b>



Example : S H D 1 0 0 1

For a model with smooth finish posts and bolted open uprights

## Open and Closed Shelving : 36", 42" and 48" Wide


### Open Shelving

Shown here are several of the most popular shelving models.


Proposals include open or closed uprights and BOX shelves;

Closed shelving proposals include back panels and front base;

Open shelving proposals include one back brace.




SRE1011  
Starter




SRB1011  
Add-on

### Closed Shelving



SRE2011  
Starter




SRB2011  
Add-on


W	Dimensions		Number of Shelves				
	D	H	5	6	7	8	
36"	12"	75"	S_001	S_007	S_013	S_019	
		18"	S_002	S_008	S_014	S_020	
		24"	S_003	S_009	S_015	S_021	
	18"	87"	S_004	S_010	S_016	S_022	
		18"	S_005	S_011	S_017	S_023	
		24"	S_006	S_012	S_018	S_024	
	24"	99"	S_401	S_407	S_413	S_419	
		18"	S_402	S_408	S_414	S_420	
		24"	S_403	S_409	S_415	S_421	
	42"	12"	75"	S_131	S_137	S_143	S_149
			18"	S_132	S_138	S_144	S_150
			24"	S_133	S_139	S_145	S_151
18"		87"	S_134	S_140	S_146	S_152	
		18"	S_135	S_141	S_147	S_153	
		24"	S_136	S_142	S_148	S_154	
24"		99"	S_531	S_537	S_543	S_549	
		18"	S_532	S_538	S_544	S_550	
		24"	S_533	S_539	S_545	S_551	
48"		12"	75"	S_031	S_037	S_043	S_049
			18"	S_032	S_038	S_044	S_050
			24"	S_033	S_039	S_045	S_051
	18"	87"	S_034	S_040	S_046	S_052	
		18"	S_035	S_041	S_047	S_053	
		24"	S_036	S_042	S_048	S_054	
	24"	99"	S_431	S_437	S_443	S_449	
		18"	S_432	S_438	S_444	S_450	
		24"	S_433	S_439	S_445	S_451	

## Back-to-Back Open and Closed Shelving : 36", 42" and 48" Wide

### Open Shelving




SRE1011B  
Starter




SRB1011B  
Add-on

### Closed Shelving



SRE2011B  
Starter



SRB2011B  
Add-on

Shown here are several of the most popular shelving models.

Proposals include open or closed uprights and BOX shelves;

Closed shelving proposals include back panels and front base;

Open shelving proposals include one back brace.

Dimensions			Number of Shelves				
W	D	H	10	12	14	16	
36"	24"	75"	S__001B	S__007B	S__013B	S__019B	
			S__002B	S__008B	S__014B	S__020B	
			S__003B	S__009B	S__015B	S__021B	
	24"	87"	S__004B	S__010B	S__016B	S__022B	
			S__005B	S__011B	S__017B	S__023B	
			S__006B	S__012B	S__018B	S__024B	
	24"	99"	S__401B	S__407B	S__413B	S__419B	
			S__402B	S__408B	S__414B	S__420B	
			S__403B	S__409B	S__415B	S__421B	
	42"	24"	75"	S__131B	S__137B	S__143B	S__149B
				S__132B	S__138B	S__144B	S__150B
				S__133B	S__139B	S__145B	S__151B
24"		87"	S__134B	S__140B	S__146B	S__152B	
			S__135B	S__141B	S__147B	S__153B	
			S__136B	S__142B	S__148B	S__154B	
24"		99"	S__531B	S__537B	S__543B	S__549B	
			S__532B	S__538B	S__544B	S__550B	
			S__533B	S__539B	S__545B	S__551B	
48"		24"	75"	S__031B	S__037B	S__043B	S__049B
				S__032B	S__038B	S__044B	S__050B
				S__033B	S__039B	S__045B	S__051B
	24"	87"	S__034B	S__040B	S__046B	S__052B	
			S__035B	S__041B	S__047B	S__053B	
			S__036B	S__042B	S__048B	S__054B	
	24"	99"	S__431B	S__437B	S__443B	S__449B	
			S__432B	S__438B	S__444B	S__450B	
			S__433B	S__439B	S__445B	S__451B	



# Industrial Shelving Proposals

## 87" High Closed Shelving with Accessories

Shown here are several of the most popular shelving models. **NOTE** To complete product #.

SEE PAGE 62

**NOTE** 2" Front base is always included with closed shelving proposals.

SHELVING

**Shelving with Dividers**  
 8 shelves  
 28 openings :  
 - 28 op. 12" x 9"  
 21 dividers, 5 1/2" high

SRE3009 Starter      SRB3009 Add-on

Product #	W x D
S_3008	36" x 12"
S_3009	36" x 18"
S_3010	36" x 24"

**Shelving with Dividers**  
 8 shelves  
 19 openings :  
 - 18 op. 12" x 12"  
 - 1 op. 36" x 12"  
 12 dividers, 12" high  
 6 shelf fronts

SRE3022 Starter      SRB3022 Add-on

Product #	W x D
S_3021	36" x 12"
S_3022	36" x 18"
S_3023	36" x 24"

**Shelving with Dividers**  
 10 shelves  
 25 openings :  
 - 9 op. 12" x 12"  
 - 12 op. 12" x 6"  
 - 4 op. 18" x 12"  
 8 dividers, 6" high  
 8 dividers, 12" high

SRE3032 Starter      SRB3032 Add-on

Product #	W x D
S_3031	36" x 12"
S_3032	36" x 18"
S_3033	36" x 24"

**Shelving with Dividers**  
 12 shelves  
 56 openings :  
 - 8 op. 9" x 9"  
 - 42 op. 6" x 6"  
 - 6 op. 12" x 12"  
 35 dividers, 6" high  
 6 dividers, 9" high  
 4 dividers, 12" high

SRE3052 Starter      SRB3052 Add-on

Product #	W x D
S_3051	36" x 12"
S_3052	36" x 18"
S_3053	36" x 24"

**Shelving with Dividers for X-ray Files**  
 6 shelves  
 60 openings :  
 - 48 op. 3" x 16"  
 - 12 op. 3" x 20"  
 44 dividers, 16" high  
 11 dividers, 20" high

SRE3062 Starter      SRB3062 Add-on

Product #	W x D
S_3062	36" x 18"

**Shelving with Dividers**  
 8 shelves  
 8 dividers, 12" high  
 9 dividers, 5 1/2" high

SRE3005 Starter      SRB3005 Add-on

Product #	W x D
S_3004	36" x 12"
S_3005	36" x 18"
S_3006	36" x 24"

**Shelving with Accessories**  
 6 shelves  
 2 louvered panels  
 6 plastic bins

SRE3202 Starter      SRB3202 Add-on

Product #	W x D
S_3201	36" x 12"
S_3202	36" x 18"
S_3203	36" x 24"

**Shelving with Accessories**  
 5 shelves  
 1 flipper door  
 1 clothes hanging rail  
 1 perforated panel  
 10 hooks

SRE3209 Starter      SRB3209 Add-on

Product #	W x D
S_3209	36" x 18"
S_3210	36" x 24"

**Shelving with Accessories**  
 8 shelves  
 21 dividers, 5 1/2" high  
 perforated back panel  
 10 hooks

SRE3212 Starter      SRB3212 Add-on

Product #	W x D
S_3211	36" x 12"
S_3212	36" x 18"
S_3213	36" x 24"

# Industrial Shelving Proposals

Shown here are some of the most popular drawers in shelving models.  
All models include welded closed upright and hook-on mounting brackets for Spider® shelving, allowing for quick and easy assembly;

Additional accessories available : panels (perforated, louvered, hanging and finishing panels), shelf dividers, doors, etc.;

To order an add-on unit, complete product number with A.

SEE PAGES 67-74

**IMPORTANT**

Drawer partitions are included in models.

**NOTE**

Drawer partitions are included in models.  
For drawers without partitioning, complete the even number following the last two digits of the model.  
Ex.: R5SEC-751801 with R5SEC-751802 without

Shelving with drawers must be anchored to the floor (anchoring kit included).



R5XEE-2001

Number of Compartments (layout code)						
Drawer dimensions	36" x 18"	36" x 24"	42" x 18"	42" x 24"	48" x 18"	48" x 24"
3" to 5"	24 (0518)	30 (0524)	20 (0512)	30 (0524)	32 (0724)	40 (0732)
6" to 8"	8 (0304)	12 (0308)	12 (0308)	12 (0308)	10 (0405)	15 (0410)
9" and higher	6 (0203)	9 (0206)	6 (0203)	8 (0304)	8 (0304)	8 (0304)

**NOTE** For inside drawer dimensions. SEE PAGES 144-145

SHELVING

## Shelving with 18", 24", 36" & 48" of Modular Drawers

### Shelving with 18" of Modular Drawers



R5SEE-871801

4 drawers :  
- 3-4" drawers  
- 1-6" drawer

75" H (5 shelves) or 87" H (6 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-751801_	R5SEC-871801_
36" x 24"	R5SEE-751801_	<b>R5SEE-871801_</b>
42" x 18"	R5SGC-751801_	R5SGC-871801_
42" x 24"	R5SGE-751801_	R5SGE-871801_
48" x 18"	R5SHC-751801_	R5SHC-871801_
48" x 24"	R5SHE-751801_	R5SHE-871801_

### Shelving with 24" of Modular Drawers



R5SEE-872401

5 drawers :  
- 3-4" drawers  
- 2-6" drawers

75" H (5 shelves) or 87" H (6 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-752401_	R5SEC-872401_
36" x 24"	R5SEE-752401_	<b>R5SEE-872401_</b>
42" x 18"	R5SGC-752401_	R5SGC-872401_
42" x 24"	R5SGE-752401_	R5SGE-872401_
48" x 18"	R5SHC-752401_	R5SHC-872401_
48" x 24"	R5SHE-752401_	R5SHE-872401_

### Shelving with 36" of Modular Drawers



R5SEE-873601

7 drawers :  
- 3-4" drawers  
- 4-6" drawers

75" H (5 shelves) or 87" H (6 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-753601_	R5SEC-873601_
36" x 24"	R5SEE-753601_	<b>R5SEE-873601_</b>
42" x 18"	R5SGC-753601_	R5SGC-873601_
42" x 24"	R5SGE-753601_	R5SGE-873601_
48" x 18"	R5SHC-753601_	R5SHC-873601_
48" x 24"	R5SHE-753601_	R5SHE-873601_



R5SEE-873603

7 drawers :  
- 4-4" drawers  
- 2-6" drawers  
- 1-8" drawer

75" H (5 shelves) or 87" H (6 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-753603_	R5SEC-873603_
36" x 24"	R5SEE-753603_	<b>R5SEE-873603_</b>
42" x 18"	R5SGC-753603_	R5SGC-873603_
42" x 24"	R5SGE-753603_	R5SGE-873603_
48" x 18"	R5SHC-753603_	R5SHC-873603_
48" x 24"	R5SHE-753603_	R5SHE-873603_

# Industrial Shelving Proposals

SHELVING

## Shelving with 48" of Modular Drawers



R5SEE-874801

8 drawers :  
- 8-6" drawers  
75" H (4 shelves) or 87" H (5 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-754801_	R5SEC-874801_
36" x 24"	R5SEE-754801_	<b>R5SEE-874801_</b>
42" x 18"	R5SGC-754801_	R5SGC-874801_
42" x 24"	R5SGE-754801_	R5SGE-874801_
48" x 18"	R5SHC-754801_	R5SHC-874801_
48" x 24"	R5SHE-754801_	R5SHE-874801_



R5SEE-874803

9 drawers :  
- 4-4" drawers  
- 4-6" drawers  
- 1-8" drawer  
75" H (4 shelves) or 87" H (5 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-754803_	R5SEC-874803_
36" x 24"	R5SEE-754803_	<b>R5SEE-874803_</b>
42" x 18"	R5SGC-754803_	R5SGC-874803_
42" x 24"	R5SGE-754803_	R5SGE-874803_
48" x 18"	R5SHC-754803_	R5SHC-874803_
48" x 24"	R5SHE-754803_	R5SHE-874803_



R5SEE-874805

10 drawers :  
- 6-4" drawers  
- 4-6" drawers  
75" H (4 shelves) or 87" H (5 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-754805_	R5SEC-874805_
36" x 24"	R5SEE-754805_	<b>R5SEE-874805_</b>
42" x 18"	R5SGC-754805_	R5SGC-874805_
42" x 24"	R5SGE-754805_	R5SGE-874805_
48" x 18"	R5SHC-754805_	R5SHC-874805_
48" x 24"	R5SHE-754805_	R5SHE-874805_



R5SEE-874807

11 drawers :  
- 4-3" drawers  
- 3-4" drawers  
- 4-6" drawers  
75" H (4 shelves) or 87" H (5 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-754807_	R5SEC-874807_
36" x 24"	R5SEE-754807_	<b>R5SEE-874807_</b>
42" x 18"	R5SGC-754807_	R5SGC-874807_
42" x 24"	R5SGE-754807_	R5SGE-874807_
48" x 18"	R5SHC-754807_	R5SHC-874807_
48" x 24"	R5SHE-754807_	R5SHE-874807_



R5SEE-874809


7 drawers :  
- 2-3" drawers  
- 3-4" drawers  
- 2-6" drawers  
1 front access roll-out shelf  
75" H (4 shelves) or 87" H (5 shelves) shelving

W x D	75" H	87" H
36" x 18"	R5SEC-754809_	R5SEC-874809_
36" x 24"	R5SEE-754809_	<b>R5SEE-874809_</b>
42" x 18"	R5SGC-754809_	R5SGC-874809_
42" x 24"	R5SGE-754809_	R5SGE-874809_
48" x 18"	R5SHC-754809_	R5SHC-874809_
48" x 24"	R5SHE-754809_	R5SHE-874809_

## Dividers

### Shelf Divider

SH50



Dividers are attached one into the other;  
2 nylon clips provided with each divider;  
Nominal dimensions (c/c with shelves);  
Offered in painted steel.



Product #	D x H
SH50-1206	12" x 6"
SH50-1209	12" x 9"
SH50-1212	12" x 12"
SH50-1215	12" x 15"
SH50-1218	12" x 18"
SH50-1506	15" x 6"
SH50-1512	15" x 12"
SH50-1806	18" x 6"
SH50-1809	18" x 9"
SH50-1812	18" x 12"
SH50-1815	18" x 15"
SH50-1818	18" x 18"
SH50-1824	18" x 24"

Product #	D x H
SH50-2406	24" x 6"
SH50-2409	24" x 9"
SH50-2412	24" x 12"
SH50-2415	24" x 15"
SH50-2418	24" x 18"
SH50-2424	24" x 24"

#### Dividers for X-ray Storage

SH50-1816	18" x 16"
SH50-1820	18" x 20"

Other sizes available. Contact your customer service representative for further information.




SHE3062



### Partial Divider

PATENTED

SH52



Pictograms make installation easy



Innovative patented divider, facilitates easy position changes;

Height : 5 1/2";

Easy installation, without tools.

Product #	Divider Depth	For Shelves
SH52-1206	7 1/8"	12" D
SH52-1506	10 1/8"	15" D
SH52-1806	13 1/8"	18" D
SH52-2406	19 1/8"	24" D

### Dividing Rods

SH56



Sold in pairs;  
Stainless steel rod with 1/4" diameter;  
90° fold at one end to ensure it stays in place;  
Superior rigidity to plastic rods currently used on the market for this type of application;  
Excellent corrosion and chemical resistance.

Product #	Height
SH56-72	72"
SH56-84	84"
SH56-96	96"



SRP0410

## Label Holders

### Magnetic Label Holder

SH82



Magnetic plastic;  
Comes in 6" lengths and can be cut with scissors or a knife;  
Note : Paper strips are not included with label holder.

Product #	W x H
SH82-600	6" x 1"

### Self-Adhesive Label Holder

SH81



Attaches to surface with self-adhesive strip;  
To be used with paper;  
Full width;  
Note : Paper strips are not included with label holder.

Product #	W x H
SH81-36	36" x 1"
SH81-42	42" x 1"
SH81-48	48" x 1"


# Industrial Shelving Accessories

## Panels

SHELVING

### Finishing Panel

**SH37**




Finishing panel for end of aisle unit;  
Fast and easy hook-on assembly;  
Polished look;  
Compatible with certain multi-level shelving applications. Contact our customer service department;  
Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

Product #	Height
SH37-__075	75"
SH37-__087	87"

### Perforated Panel

**SH38**




Perforated panel for end of aisle unit;  
Holes at every 1" c/c;  
Compatible with our light duty hooks : WM94, WM95, WM96, WM97, WM98, WM99;  
Fast and easy hook-on assembly;  
Polished look;  
Capacity : maximum 200 lb per panel;  
Compatible with certain multi-level shelving applications. Contact our customer service department;  
Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

Product #	Height
SH38-__075	75"
SH38-__087	87"

### Full Height HD Utility Panel

**SH69**



Full height HD utility panel for end of aisle unit;  
Holes at every 1" c/c;  
Fast and easy hook-on assembly;  
Polished look;  
Compatible with our light duty hooks: WM94, WM95, WM96, WM97, WM98, WM99 and our heavy duty hooks : WM9A and WM9B;  
Also compatible with WM9C, WM9D supports and WM21 shelf;  
Capacity : 50 lb/square foot, maximum of 500 lb per panel, evenly distributed load;  
Compatible with certain multi-level shelving applications. Contact our customer service department;  
Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

Product #	Height
SH69-__51	51"
SH69-__75	75"
SH69-__87	87"



### Side Utility Panel

**SH68**



The SH68 side utility panel installs on either the inside or the outside upright;  
Simple assembly, no tools required;  
Compatible with our light duty hooks: WM94, WM95, WM96, WM97, WM98, WM99 and our heavy duty hooks : WM9A and WM9B;  
Compatible with WM9C and WM9D supports;  
Compatible with WM21 shelf;  
Capacity : 50 lb/square foot, maximum of 300 lb per panel, evenly distributed load;  
Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

Product #	Height
SH68-__14	14"
SH68-__20	20"
SH68-__32	32"



SRE2155

## Back or Side Louvered Panel

### SH65 / SH66



SH65 louvered panel for back of shelving : installs on the inside of the shelving unit, between two shelves;

SH66 louvered panel for side of shelving : installs on either the inside or the outside of the upright;

Simple assembly, no tools required;

Used for hanging RG20 bins;

Compatible with all brands of plastic bins offered on the market that are equipped with a hanging lip.

Back	W x H	Side	D x H
SH65-3020	30" x 20"	SH66-1220	12" x 20"
SH65-3032	30" x 32"	SH66-1232	12" x 32"
SH65-3620	36" x 20"	SH66-1520	15" x 20"
SH65-3632	36" x 32"	SH66-1532	15" x 32"
SH65-4220	42" x 20"	SH66-1820	18" x 20"
SH65-4232	42" x 32"	SH66-1832	18" x 32"
SH65-4820	48" x 20"	SH66-2420	24" x 20"
SH65-4832	48" x 32"	SH66-2432	24" x 32"

## Back Utility Panel

### SH67



The SH67 back utility panel installs on the inside of the shelving unit, between two shelves;

Simple assembly, no tools required;

Compatible with our light duty hooks : WM94, WM95, WM96, WM97, WM98, WM99 and our heavy duty hooks : WM9A and WM9B;

Compatible with WM9C and WM9D supports; Compatible with WM21 shelf;

Capacity : 50 lb/square foot, maximum of 300 lb per panel, evenly distributed load;

Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SH67-__14	14"
SH67-__20	20"
SH67-__32	32"

## Perforated Back Panel

### SR39



Perforated panel for shelving back;

Easy to install;

Compatible with SH31 back panels;

Installs on the back of an existing shelving unit;

Holes at every 1" c/c;

Compatible with WM94, WM95, WM96, WM97 and WM99 hooks;

Panel combinations :

- 75" H posts (39" + 39")

- 87" H posts (39" + 51")

- 99" H posts (51" + 51")

Compatible with the SR upright which has a perforated surface;

Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SR39-__39	39"
SR39-__51	51"



R5SEE-874817

## LED Light

### LED Light for Spider® Shelving

### SH95



Eliminates shaded areas between shelves;

Rigid aluminium housing;

Can be installed under SH20 shelves;

Casts brighter light than fluorescent tubes and is more energy efficient;

Color temperature : 6000-7000 K (cool);

Equipped with a 10 foot long cord.

Product #	Fits on
SH95-01	30" or 36" W shelves
SH95-02	42" or 48" W shelves




# Industrial Shelving Accessories

## Doors

SHELVING

### Doors



Doors open 180°, with recessed lock and handle;

To receive a safety hasp instead of a standard lock, order SH40-XXXXLP instead of SH40-XXXXL3;

Simple and fast assembly;

Frame spaced to allow for installation of Rousseau modular drawers;

Compatible with Rousseau Spider® shelving only;

Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SH40-__39L3	39"
SH40-__75L3	75"
SH40-__87L3	87"
SH40-__99L3	99"



SHQ0010



### SH40 Polycarbonate Doors



Doors with polycarbonate panels ensure you can see contents;

Excellent impact resistance;

Doors open 180°, with recessed lock and handle;

To receive a safety hasp instead of a standard lock, order SH42-XXXXLP instead of SH42-XXXXL3;

Simple and fast assembly;

Frame spaced to allow for installation of Rousseau modular drawers;


Compatible with Rousseau Spider® shelving only;

Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SH42-__39L3	39"
SH42-__75L3	75"
SH42-__87L3	87"
SH42-__99L3	99"



SHQ0011 SHQ0012



### Flipper Door



Full-width handle;

Standard lock included;

14" high door for folder storage;

16" high door for binder storage;

Installs between 2-SH20 shelves;

SH52 dividers can be installed;

Door heights available : 14", 16", 17" and 18";

Order by adding the door height to the part #.

Ex.: SH85-361816L3.

Product #	Width x Shelf Depth
SH85-3018_L3	30" x 18"
SH85-3024_L3	30" x 24"
SH85-3618_L3	36" x 18"
SH85-3624_L3	36" x 24"
SH85-4218_L3	42" x 18"
SH85-4224_L3	42" x 24"
SH85-4818_L3	48" x 18"
SH85-4824_L3	48" x 24"



### SH85



R5SEE-871805




SRE2055

## Miscellaneous Rails and Supports

### Clothes Hanging Rail

SH70



80 lb capacity per rail;  
Simple and fast installation;  
Installs by hooking to the shelving posts;  
Includes one bar with a 1" diameter and 2 adaptors;

Note : Because of space required under the clothes rail, it is not recommended for use on multi-level shelving installations;


Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Depth
SH70-__18	18"
SH70-__24	24"



### Spool Support

SH72



Optimizes storage of spools in shelving;  
Offered with one or two rails;  
50 lb capacity per rail, 100 lb total per double rail;


Rail(s) with 3/4" diameter, compatible with most spools;

Design allows for pivoting of rail to facilitate changing spools;

Combinations possible for different sized spools;


Complete the product number by choosing the number of rails : 01 or 02.

Product #	W x D
SH72-3012-01	30" x 12"
SH72-3018-__	30" x 18"
SH72-3024-__	30" x 24"
SH72-3612-01	36" x 12"
SH72-3618-__	36" x 18"
SH72-3624-__	36" x 24"
SH72-4212-01	42" x 12"
SH72-4218-__	42" x 18"
SH72-4224-__	42" x 24"
SH72-4812-01	48" x 12"
SH72-4818-__	48" x 18"
SH72-4824-__	48" x 24"



### Plastic Bin Rail

SH62



Very useful at ends of aisles. Fast hook-on assembly;

Ideal for all brands of bins from 5" to 7" high;

Bins sold separately.

Product #	Depth
SH62-18	18"
SH62-24	24"

### Plastic Bin

PATENTED

RG20



Makes storing, moving and inventory of small parts easier. Lightweight and resistant;

Edge at 45° angle for easy identification and easy removal of parts;

Compatible with louvered panels (SH62, SH66, SH67) plastic bin rails (SH62) and supports for plastic bin (SH62 and WM9C);

6" bins can be partitioned.

### Support for Plastic Bin

WM9C



Clips onto SH67, SH68 or SH69 panels;

Very useful for hanging plastic bins, making it easy to store small parts;

Hook-on installation;

The side security notches ensure stability;

Ideal for plastic bins available on the market that are equipped with a hook-on edge;

Compatible with RG20 plastic bins;

Bins sold separately.

Product #	W x H	Capacity
WM9C-06	6" x 3"	30 lb
WM9C-15	15" x 3"	60 lb

Dimensions			Product #		
W	D	H	Bin	Partition	Divider
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603


**NOTE**

Compatible with perforated panels with 1/4" holes at every 1" c/c. These panels are among the most popular on the market.

# Industrial Shelving Accessories

## Tiltable Shelf for Utility Panel

**WM21**




Clips onto SH67, SH68 or SH69 panels;  
 Slotted to receive SH52 dividers at every 2" c/c;  
 Includes 2 side supports that may be placed at right angles or at an angle of 15°;  
 The shelf is reversible and its edge may serve as a back stop for plastic bins or binders;  
 Capacity : 50 lb, evenly distributed load;  
 The 15" wide shelf must be clipped onto a 18" wide panel minimum;  
 The 31" wide shelf must be clipped onto a 36" wide panel minimum.

Product #	W x H
WM21-1508	15" x 8"
WM21-1512	15" x 12"
WM21-3108	31" x 8"
WM21-3112	31" x 12"

## Can Support

**WM9D**



Clips onto SH67, SH68 or SH69 panels;  
 Very useful for storing products of all kinds, such as cans of different sizes;  
 Hook-on installation;  
 The side security notches ensure stability.

Product #	W x D x H
WM9D-06	6" x 3" x 4"
WM9D-15	15" x 3" x 4"

## Vinyl Rub-on Identification Decal

**WM91**



Allows you to easily identify where tools are to be positioned on the perforated panel (SH38, SH39 and SR39) or on the utility panels (SH67, SH68 and SH69);


The contrasting color provides fast retrieval and shows if tools are missing, and which ones;

Efficient help for 5S management;

Sold in rolls 2 feet wide and 8 feet long.

Product #
WM91-01J

## Light Duty Hooks



Our family of hooks makes it possible for you to store several types of parts, tools and accessories adequately. Compatible with the panels currently available on the market (1/4" holes), Rousseau perforated panels (WM53, RC43, RC44, SH38, SR39 and SH39), utility panels (SH67, SH68 and SH69) and WM57 wall panels.

Type/ Package	Dimensions	Product #	See page
Multiple tool holder / 1	9" W x 1 1/2" H	WM94-01	p. 129
Screwdriver holder / 1	9" W x 1 1/2" D x 1 3/4" H	WM95-01	p. 129
Straight hooks / 20	1 1/2" D	WM96-150	p. 129
Single hooks / 20	1 1/2" diameter	WM97-150	p. 129
Single hooks / 20	2" diameter	WM97-200	p. 129
Double back single hooks / 10	3" D	WM98-03	p. 129
Double back single hooks / 10	5" D	WM98-05	p. 129
Double back double hooks / 10	3" D	WM99-03	p. 129
Double back double hooks / 10	5" D	WM99-05	p. 129

## Heavy-Duty Hooks

### Heavy-Duty Square Hook

**WM9A**



Used with utility panels (SH67, SH68 and SH69) to hang accessories and tools;

Flat surface on top;

Raised end to prevent accessories or tools from sliding;

Hook-on installation;

The side security notches ensure stability;

Capacity : 50 lb;

Sold by the unit;

1" wide.

Product #	Length
WM9A-06	6"
WM9A-12	12"

### Heavy-Duty Round Hook

**WM9B**



Used with utility panels (SH67, SH68 and SH69) to hang accessories and tools;

Tube measures 3/4" in diameter;

Allows accessories and tools to slide easily;

Hook-on installation;

The side security notches ensure stability;

Capacity : 50 lb;

Sold by the unit;

Base of hook : 2" x 5".

Product #	Length
WM9B-06	6"
WM9B-12	12"

## Modular Drawers and Roll-out Shelves

### Heavy-Duty Modular Drawer

RF32 / RF36



Drawer in painted steel : RF32;  
 Drawer with stainless steel drawer front : RF36;  
 400 lb capacity, 100% extension;  
 Heavy-duty construction;  
 Easy to install;  
 Vast choice of accessories offered to adapt to your storage needs;  
 Available drawer heights : 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14";  
 For modular drawers with layouts;

SEE PAGES 161-165


SEE PAGES 147-160

Order by adding the drawer height to the part # and by specifying the type of drawer front (painted steel or stainless steel) Ex.: RF32-362406;

Product #	W x D
RF_-3018_	30" x 18"
RF_-3024_	30" x 24"
RF_-3618_	36" x 18"
RF_-3624_	36" x 24"
RF_-4218_	42" x 18"
RF_-4224_	42" x 24"
RF_-4818_	48" x 18"
RF_-4824_	48" x 24"

### Mounting Brackets for Spider® Shelving

RE30



Easy hook-on assembly;  
 Standard heights : 18", 24", 30", 34", 36", 46" and 48";

The mounting bracket kit is compatible with all drawer widths for Rousseau shelving (30", 36", 42" and 48");

Each kit includes 2 front and 2 rear mounting brackets and all necessary hardware;

Holes at every 1" c/c for drawer adjustment;

Two mounting bracket sets may be stacked simply by installing a shelf between them;

SEE PAGE 95

34" high mounting brackets are used with 39" posts or doors;

To order mounting brackets of non-standard heights, contact our customer service representative.

Product #	Height
RE30-18	18"
RE30-24	24"
RE30-30	30"
RE30-34	34"
RE30-36	36"
RE30-46	46"
RE30-48	48"

### Heavy-Duty Front Access Roll-Out Shelf


RF41



400 lb capacity, 100% extension;  
 Heavy-duty construction;  
 Easy to install;  
 Painted steel with 3" edges on sides and back;  
 Height : 6";  
 Full access to contents;  
 Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Depth
RF41-__18	18"
RF41-__24	24"

**Shelving units with drawers must be anchored to the ground.**



The height of the top drawer must not exceed 60" unless you have the proper equipment to reach drawers higher than 60" in a safe manner.

### Heavy-Duty 3-Sided Access Roll-Out Shelf

RF45




400 lb capacity, 100% extension;  
 Heavy-duty construction;  
 Easy to install;  
 Galvanized steel with 1 1/2" edge on back;  
 Height : 5";  
 May serve as work surface;  
 Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Depth
RF45-__18	18"
RF45-__24	24"

### Filler

RE90



Installs with an adhesive strip under the bank of drawers;

Meets aesthetic requirements of certain work environments (hospitals, offices, etc.);

Offered for Rousseau Spider® and Spacesaver shelving only;

For Spacesaver shelving, order RE90-XX02 instead of RE90-XX01.

Product #	W x H
RE90-3001	30" x 5/8"
RE90-3601	36" x 5/8"
RE90-4201	42" x 5/8"
RE90-4801	48" x 5/8"

# Industrial Shelving Accessories

## Locking and Security Mechanisms

SHELVING

### Vertical Security Bar

**RE80**



Locks a bank of drawers in shelving with either a key or a padlock;

Lock or safety hasp for padlock are located at the top of the bar to facilitate access;

Covers a bank of drawers from 18" to 48" high;

Easy hook-on assembly;

Possible to install more than one bar on the same bracket for different users;

Installs on the right side;

36" high bar is compatible with 34" high mounting brackets and 48" high bar is compatible with 46" high mounting brackets;

Offered for Rousseau Spider® shelving. For Spacesaver shelving, order RE81-XXXXA instead of RE80-XXXXA;

Order by specifying the type of lock required. Complete with LP for a safety hasp or with L3 for a standard lock.



Product #	Height
RE80-18_A	18"
RE80-24_A	24"
RE80-30_A	30"
RE80-36_A	36"
RE80-48_A	48"

### Lock-out Mechanism

**RF85**



For both drawers and roll-out shelves;

Locks drawers and roll-out shelves in open position;

Activated manually, only when required;

Compatible with all drawer accessories;

Plastic bins positioned in the back row, may make it more difficult to activate mechanism.

**Product #**  
RF85

### Drawer Lock



Compatible with all drawer dimensions;

Does not affect usable drawer space;

Easy to retrofit;

Order by adding L3 to drawer or partitioning model number. Ex.: RF32-362406L3;

For replacement parts or to retrofit this mechanism, order RY01-L3.



**Product #**  
L3

### Integrated Lock-in Mechanism

**PATENTED**



Activated by tilting the handle up;

Allows user to open the drawer and the roll-out shelf with one hand only;

Close by simply pushing it;

Stops drawer and roll-out shelf from opening on their own;


Easy to retrofit;

Order by adding A to the drawer or partitioning model number or roll-out shelf. Ex.: RF32-362406A;

For replacement parts or to retrofit this mechanism, order RY08-XXA.

**Product #**  
A

### Econo Lock-in Mechanism



Activated with the right hand by sliding the mechanism with thumb;

Drawer and roll-out shelf closes without having to reactivate the slide mechanism;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;


Order by adding B to the drawer or partitioning model number or roll-out shelf. Ex.: RF32-362406B;

For replacement parts or to retrofit this mechanism, order RY01-B.

**Product #**  
B

### Security Panel

**RF91**



Blocks access between two drawers or two banks of drawers;

Usable space in the bank of drawers is reduced by 1";

Installed between two drawers;

Complete the product number by choosing the desired width : 30", 36", 42" or 48".


**Product #**      **Depth**

RF91-__18	18"
RF91-__24	24"

## Structural Components

### Post

### SR10 / SH10



Tubular T-shape; up to 7 fixing zones;  
Perforations on sides at every 1" c/c for adjusting shelves;  
14 gauge steel;  
Choose either :  
- The universal SR10 post with the perforated surface to add Mini-Racking or multi-level shelving  
- The shelving SH10 post with the smooth finish surface for enhanced appearance.

SR universal post	SH shelving post	Height
SR10-039	SH10-039	39"
SR10-051	SH10-051	51"
SR10-075	SH10-075	75"
SR10-087	SH10-087	87"
SR10-099	SH10-099	99"
SR10-111	SH10-111	111"
SR10-123	SH10-123	123"


Other dimensions available. Contact your customer service representative.

**NOTE**

The unique shape of the Spider® post is a Rousseau Metal Inc. trademark.

### Welded Open Upright

### SR11 / SH11




Upright with factory welded side braces;  
Fast assembly;  
Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

SR universal post	SH shelving post	Height
SR11-__0752	SH11-__0752	75"
SR11-__0872	SH11-__0872	87"
SR11-__0992	SH11-__0992	99"

Other dimensions available. Contact your customer service representative.

### Side Braces

### SH34



Sold in pairs;  
Allow upright assemblies to be fastened in a "ladder-like" manner for easier assembly;  
Recommendations :  
- 1 pair per upright assembly up to 99" in height  
- For upright assemblies over 99" in height, please refer to the S58 technical sheet or contact your customer service representative.

Product #	Depth
SH34-12	12"
SH34-15	15"
SH34-18	18"
SH34-24	24"
SH34-30	30"

### Welded Closed Upright

### SR12 / SH12




Upright with full-height factory welded parts;  
Fast assembly;  
Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

SR universal post	SH shelving post	Height
SR12-__075	SH12-__075	75"
SR12-__087	SH12-__087	87"
SR12-__099	SH12-__099	99"

Other dimensions available. Contact your customer service representative.

### Back Sway Brace

### SH33




"X" shaped, factory assembled brace;  
Easy to install;  
Recommendations :  
- 1 pair per upright assembly up to 99" in height  
- 2 pairs for posts over 99" in height;  
Please refer to the S58 technical sheet or contact your customer service representative.

Product #	Width
SH33-30	30"
SH33-36	36"
SH33-42	42"
SH33-48	48"

### Corner Gussets

### SH35



Replace back brace for full access to front and back of shelving unit;  
14 gauge steel;  
Each set includes 4 gussets. Min. of 3 sets per unit;  
Note : Not to be used on units over 99" H or for multi-level shelving.

Product #
SH35

# Industrial Shelving Components

SHELVING

## Side Panel

SH30




Panel combinations :  
 - 75"H posts (39" + 39")  
 - 87"H posts (39" + 51")  
 - 99"H posts (51" + 51")  
 - 111"H posts (39" + 39" + 39")  
 - 123"H posts (39" + 39" + 51")

Complete the product number by choosing the desired depth : 12", 15", 18" or 24".

Product #	Height
SH30- 39	39"
SH30- 51	51"

## Back Panel

SH31




Panel combinations :  
 - 75"H posts (39" + 39")  
 - 87"H posts (39" + 51")  
 - 99"H posts (51" + 51")  
 - 111"H posts (39" + 39" + 39")  
 - 123"H posts (39" + 39" + 51")

Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SH31- 39	39"
SH31- 51	51"

## Shelf Front or Front Base

SH28



Same component for both applications;  
 Fast hook-on installation;


Note : Front base is always included with closed shelving proposals;

Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SH28- 02	2"
SH28- 05	5"

## Structural Perforated Back Panel

SH39



Perforated panel for shelving back;  
 Integrated part of the shelving structure;  
 Holes at every inch c/c;

Compatible with WM94, WM95, WM96, WM97, WM98 and WM99 hooks;

Panel combinations :  
 - 75" H posts (39" + 39")  
 - 87" H posts (39" + 51")  
 - 99" H posts (51" + 51")

Note : Used without the SH31 back panels;


Complete the product number by choosing the desired width : 30", 36", 42" or 48".

Product #	Height
SH39- 39	39"
SH39- 51	51"

## Installation Accessories

### Floor Anchor Plate

SH45




Sold individually;  
 Attaches to the post for anchoring shelving sections to the floor. Distributes the load on a larger surface and protects the floor;  
 12 gauge galvanized steel.

Product #
SH45

### Wall Spacer

SR47




Designed to anchor shelving to the wall;  
 Adjusts from 3" to 4";  
 Wall anchoring hardware not included (holes are 3/16" in diameter).

Product #
SR47-0304

### Shim Plate

SH46



Sold individually;  
 Evens out shelving units on uneven surfaces. Slides under SH45 floor anchor plate;  
 12 or 16 gauge galvanized steel.

Product #	Thickness
SH46-12	12 gauge (0,100")
SH46-16	16 gauge (0,060")

### Leveling Glides Kit

SR49




Serves to adjust the height of the Spider® shelving unit 1/4" to 2/8" on uneven floor surfaces;  
 Maximum capacity of 750 lb / glide;  
 Restrictions :  
 - Offered for 99" high shelving and less  
 - Compatible with SR posts and SR uprights only  
 - Not compatible with RF32/RF36 drawers, RF41/RF45 roll-out shelves and the SH28 base;  
 Sold in pairs.

Product #
SR49-01

### Floor Anchoring Hardware

SH47



Used for anchoring shelving to the floor;  
 Includes 4 cement screws.


Product #
SH47-04

# Industrial Shelving Components

## Shelves and Shelf Accessories

### Box Shelf

SH20



Box-type shelf with front and rear edges roll-formed and welded;  
20 gauge steel, 1 1/4" thick;  
4 sturdy and compact SH60 clips included;  
Perforations for dividers (SH52) at every 3" c/c;  
Others dimensions available. Contact your customer service representative.



SH60  
(4 clips)

Product #	W x D	Product #	W x D
SH20-3012	30" x 12"	SH20-4212	42" x 12"
SH20-3015	30" x 15"	SH20-4215	42" x 15"
SH20-3018	30" x 18"	SH20-4218	42" x 18"
SH20-3024	30" x 24"	SH20-4224	42" x 24"
SH20-3612	36" x 12"	SH20-4812	48" x 12"
SH20-3615	36" x 15"	SH20-4815	48" x 15"
SH20-3618	36" x 18"	SH20-4818	48" x 18"
SH20-3624*	36" x 24"	SH20-4824	48" x 24"

\* Also offered with a double fold on the sides.

### Shelf Load Capacity

Shelving load capacity tests are based on ANSI MH28.1 Shelving Manufacturer Association (SMA) standards. Capacities incorporate a safety factor and are valid for an equally distributed load. Capacities are indicated in pounds.


**NOTE**

The SH22, SH24 and SHC reinforcements are not factory installed on the SH20 box shelves.

Dimensions W x D	Medium-Duty Capacity Without Reinforcement	Heavy-Duty Capacity Central Reinforcement	Extra Heavy-Duty Capacity Double Reinforcement
30" x 12"	750	—	—
30" x 15"	775	—	—
30" x 18"	800	—	—
30" x 24"	450	—	—
36" x 12"	750	—	—
36" x 15"	775	—	—
36" x 18"	800	1000	1100
36" x 24"	625	1050	1100
42" x 12"	650	—	—
42" x 15"	650	—	—
42" x 18"	650	850	1050
42" x 24"	650	875	1050
48" x 12"	550	—	—
48" x 15"	550	—	—
48" x 18"	575	725	1025
48" x 24"	600	750	1050

### Center Shelf Reinforcement (Heavy-Duty)

SHC




SH24 front shelf reinforcement combined with SH22 side reinforcements.

Product #	W x D
SHC1009	30" x 18"
SHC1010	30" x 24"
SHC1003	36" x 18"
SHC1004	36" x 24"
SHC1007	42" x 18"
SHC1008	42" x 24"
SHC1005	48" x 18"
SHC1006	48" x 24"

### Double Shelf Reinforcement (Extra Heavy-Duty)

SHC




Combination of two front reinforcements (SH24) with two side reinforcements (SH22).

Product #	W x D
SHC2009	30" x 18"
SHC2010	30" x 24"
SHC2003	36" x 18"
SHC2004	36" x 24"
SHC2007	42" x 18"
SHC2008	42" x 24"
SHC2005	48" x 18"
SHC2006	48" x 24"

**NOTE** Used when the shelves have to support higher loads, concentrated loads or when the visual is important.

### Front Shelf Reinforcement

SH24




"C" shaped reinforcement. Used when shelves must support heavier loads in front.

Note : The reinforcement increases shelf sturdiness, not capacity.

Product #	Width
SH24-30	30"
SH24-36	36"
SH24-42	42"
SH24-48	48"

### Side Shelf Reinforcements

SH22



2 "L" shaped reinforcements for attachment on each side of a shelf. Used when shelves must support heavier loads;

The side reinforcements increase the capacity of the 36" x 24" shelf to 800 lb.

Product #	Depth
SH22-18	18"
SH22-24	24"