


Components – Structure Under the Work Surface

Recessed Base

RA55




Designed to raise the height of a cabinet by 2" or 4";
Compatible with RA56 straight cover plate for back;
Includes a removable cover plate at the front for aesthetics and in order to move the cabinet from the front;
Front cover plate is on a straight angle to facilitate cleaning floors;
Leaves a 2" space to allow user to stand closer to cabinet;
Designed to allow user to anchor the cabinet to the floor;
Compatible with leveling glides (RA74);
Note : Not compatible with casters;
Note : Not designed for stacking applications.

Product #	W x D	Height
RA55-242102	24" x 21"	2"
RA55-242702	24" x 27"	2"
RA55-302102	30" x 21"	2"
RA55-302702	30" x 27"	2"
RA55-242104	24" x 21"	4"
RA55-242704	24" x 27"	4"
RA55-302104	30" x 21"	4"
RA55-302704	30" x 27"	4"

Straight Cover Plate

RA56



Closes off the back of 2" and 4" recessed bases.

Product #	W x H
RA56-2402	24" x 2"
RA56-2404	24" x 4"
RA56-3002	30" x 2"
RA56-3004	30" x 4"

4" Casters

RB81



Sold in pairs;
Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Capacity : 420 lb per caster;
Total height : 5 1/4";
Dark gray polyurethane tread, does not mark floors. Superior industrial quality casters;
Install directly under cabinet without base.

Product #	Type of Caster
RB81-01	Rigid
RB81-02	Swivel
RB81-03	Swivel with total-lock brake system

6" Mag Casters

RB85




Sold in pairs;
Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Aluminium wheel with durable chrome plating;
Capacity : 1000 lb per caster;
Total height : 7 1/2";
Black high grade polyurethane tread, facilitates movement. Superior industrial quality casters;
Install directly under cabinet without base.

Product #	Type of Caster
RB85-01	Rigid
RB85-02	Swivel
RB85-03	Swivel with total-lock brake system

Forklift Base

RA52 / RA53




2" high base designed for moving the cabinet from the front with a forklift;
4" high base designed for moving the cabinet from the front or side with a forklift, or from the front with a pallet-jack;
Compatible with the RA54 rear base cover plate, offered as an option;
Includes a recessed kick-plate in the center of the cabinet to allow user to stand closer to cabinet;
Designed to enable user to anchor cabinet to the floor;
Compatible with leveling glides (RA74);
Note : Not compatible with casters.

Product #	W x D	Height
RA52-242102	24" x 21"	2"
RA52-242702	24" x 27"	2"
RA52-302102	30" x 21"	2"
RA52-302702	30" x 27"	2"
RA53-242104	24" x 21"	4"
RA53-242704	24" x 27"	4"
RA53-302104	30" x 21"	4"
RA53-302704	30" x 27"	4"

Angled Cover Plate

RA54



Closes off the back of 2" and 4" forklift bases.

Product #	W x H
RA54-2402	24" x 2"
RA54-2404	24" x 4"
RA54-3002	30" x 2"
RA54-3004	30" x 4"

6" Casters

RB84




Sold in pairs;
Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);
Capacity : 900 lb per caster;
Total height : 7 1/2";
Dark gray polyurethane tread, insures silent functioning. Superior industrial quality casters;
Install directly under cabinet without base.

Product #	Type of Caster
RB84-01	Rigid
RB84-02	Swivel
RB84-03	Swivel with total-lock brake system

Leveling Glide Kit

RA74



Sold in kits of 4;
Serves to adjust the height of cabinet of 1 1/8" to 2" housings on uneven floor surfaces.

Product #
RA74-01

Components – Structure Under the Work Surface

Drawers, Roll-out Shelves and Locking or Security Mechanisms

Modular Drawers for Cabinet

RF31



400 lb capacity, 100% extension;

Vast choice of accessories offered to adapt to your storage needs;

Available drawer heights : 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14";

Order by adding the drawer height to the part #
Ex.: RF31-302706;

For modular drawers with layouts.

SEE
PAGES
161-165

SEE
PAGES
147-160

Product #	W x D
RF31-2421	24" x 21"
RF31-2427	24" x 27"
RF31-3021	30" x 21"
RF31-3027	30" x 27"

Heavy-Duty Front Access Roll-Out Shelf

RF40



400 lb capacity, 100% extension;

Painted steel with 3" edges on sides and back;

Height : 6";

Full access to contents.

Product #	W x D
RF40-2421	24" x 21"
RF40-2427	24" x 27"
RF40-3021	30" x 21"
RF40-3027	30" x 27"

Heavy-Duty 3-Sided Access Roll-Out Shelf

RF44



400 lb capacity, 100% extension;

Galvanized steel with 1 1/2" edge on back;

Height : 5";

May serve as work surface.

Product #	W x D
RF44-2421	24" x 21"
RF44-2427	24" x 27"
RF44-3021	30" x 21"
RF44-3027	30" x 27"

Integrated Lock-In Mechanism



Activated by tilting the handle up;

Allows user to open the drawer and the roll-out shelf with one hand only;

Close by simply pushing it;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;

Order by adding A to the drawer or partitioning model number or roll-out shelf.

Ex.: RF31-302706A;

For replacement parts or to retrofit this mechanism, order RY08-XXA.

Product #

A

Lock-Out Mechanism



For both drawers and roll-out shelves;

Locks drawers and roll-out shelves in open position;

Activated manually, only when required;

Compatible with all drawer accessories;

Plastic bins positioned in the back row, may make it more difficult to activate mechanism.

Product #

RF85

Econo Lock-In Mechanism



Activated with the right hand by sliding the mechanism with thumb;

Drawer and roll-out shelf close without having to reactivate the slide mechanism;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;

Order by adding B to the drawer or partitioning model number or roll-out shelf.

Ex.: RF31-302706B;

For replacement parts or to retrofit this mechanism, order RY01-B.

Product #

B

Handle Protector

RF70



Clips onto the drawer handle;

Made of transparent plastic;

Protects identification labels on drawers from dust, grease and other debris;


Easy to remove when required;

Labels sold separately.

SEE
PAGE
162

Product #	Width
RF70-24	24"
RF70-30	30"

Drawer Lock



Compatible with all drawer dimensions;

Does not affect usable drawer space;


Easy to retrofit;

Order by adding L3 to drawer or partitioning model number. Ex.: RF31-302706L3;

For replacement parts or to retrofit this mechanism, order RY01-L3.

Product #

L3




SEE
PAGE
198

Components – Structure Under the Work Surface

Doors

Single Integrated Door, Solid or Polycarbonate

RB32 / RB31



Integrated door : RB32;
Polycarbonate integrated door : RB31;
Compatible with RB23/RB25 bottom shelf and RB22/RB24 adjustable shelf;
Opens 180° for full access to items stored inside;
Factory installed on RA30 cabinet housings;
Standard lock included;


Some heights may be combined with drawers mounted above or below. In the latter case, you must order a RB22 or RB24 adjustable shelf for installation above the section of drawers;

Order by specifying the type of door.
Ex.: RB31-3034L3 for 30" W x 34" H polycarbonate integrated door;

Note : Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;

Note : Integrated door (RB32) has a finished back for increased rigidity and aesthetics;

Note : Polycarbonate integrated door (RB31) is impact resistant.




Product #	W x H
RB_-2420L3	24" x 20"
RB_-2424L3	24" x 24"
RB_-2426L3	24" x 26"
RB_-2430L3	24" x 30"
RB_-2434L3	24" x 34"
RB_-3020L3	30" x 20"

Product #	W x H
RB_-3024L3	30" x 24"
RB_-3026L3	30" x 26"
RB_-3030L3	30" x 30"
RB_-3034L3	30" x 34"
RB_-3040L3	30" x 40"
RB_-3054L3	30" x 54"

Double Integrated Doors, Solid or Polycarbonate

RB37 / RB36



Integrated doors : RB37;
Polycarbonate integrated doors : RB36;
Compatible with RB24 adjustable shelf;
Opens 180° for full access to items stored inside;
Factory installed on RA30 cabinet housings;
Standard lock included;

Some heights may be combined with drawers mounted above or below. In the latter case, you must order a RB24 adjustable shelf for installation above the section of drawers, or a crossbar for drawers mounted above;

Order by specifying the type of door.
Ex.: RB36-3020L3 for 30" W x 20" H polycarbonate integrated doors;

Note : Not compatible with RB25 bottom shelf;

Note : Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;

Note : Integrated door (RB37) has a finished back for increased rigidity and aesthetics;


Note : Polycarbonate integrated doors (RB36) are impact resistant.



Product #	W x H
RB_-3020L3	30" x 20"
RB_-3024L3	30" x 24"
RB_-3026L3	30" x 26"
RB_-3030L3	30" x 30"
RB_-3034L3	30" x 34"
RB_-3040L3	30" x 40"
RB_-3054L3	30" x 54"

Crossbar for Double Integrated Doors

RB70




Required for double integrated doors with drawer above.

Product #	Width
RB70-30	30"



Sink Cabinets



The top has an opening to allow for installation of a sink;

Has an opening on the back on the housing to allow for installation of a drain and pipes;

1 bottom shelf;

Models that have a door with frame are compatible with drawers and roll-out shelves;

Standard lock included;

Compatible with bases;

Heights available : 28", 30" and 34";

Complete the part # with height wanted and by referring to chart below for door types;

Ex.: R5TDD-28 01;

Note : Sink is not included;



Note : Work surfaces must be ordered separately (cut-outs are not provided by Rousseau).



Product #	W x D
R5TDD-__ *	30" x 21"
R5TDG-__ *	30" x 27"
R5THD-__	48" x 21"
R5THG-__	48" x 27"



01	For cabinet with single integrated door
02	For cabinet with double integrated doors
03	For cabinet with double doors with frame
04	For cabinet with integrated sliding doors
05	For cabinet with sliding doors with frame

*Models are not compatible with sliding doors.

Components – Structure Above the Work Surface

Riser Shelves

Painted Steel

WS50



Thickness : 1 ¼";
May be installed on all types of shelf supports;
True width = nominal width – 3½".

Laminated Wood

WS51



Made from varnished hardwood slats;
Thickness : 1 ¼";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports;
Attractive appearance.

Plastic Laminated

WS52



Color : White;
Thickness : 1 ¼";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports;
Attractive appearance.

Dissipative

WS53



Dissipates electric charges that can damage electronic components;
Resistance point to point and point to ground between 10⁹ and 10⁹ Ω;
Color : White;
Thickness : 1 ¼";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports.

Stainless Steel

WS56



Thickness : 1 ¼";
Brushed finish # 4;
May be installed on all types of shelf supports;
True width = nominal width – 3½".

Resistant Acrylic/PVC Plastic Laminated

WS57




Color : Gray;
Thickness : 1 ¼";
May be installed on WS54, WS55, WS59 and WM27-1202 shelf supports.

Dimensions		Type of Shelf					
W	D	Painted Steel	Laminated Wood	Plastic Laminated	Dissipative	Stainless Steel	Acrylic/PVC Laminated
48"	12"	WS50-4812 *	WS51-4812	WS52-4812	WS53-4812	WS56-4812	WS57-4812
60"	12"	WS50-6012 *	WS51-6012 *	WS52-6012 *	WS53-6012 *	WS56-6012	WS57-6012 *
72"	12"	WS50-7212 *	WS51-7212 *	WS52-7212 *	WS53-7212 *	WS56-7212	WS57-7212 *

NOTE *Stock items. Other models are available on manufacturing schedules only.

Riser Shelf Supports

WS54




Sold in pairs;
Accommodate WS50 (12" D), WS51, WS52, WS53, WS56, WS57 shelves;
Height : 16";
Attractive appearance.

Product #	W x D x H
WS54-1602	3½" x 10¼" x 16"

Riser Shelf Supports with Electrical Outlets on One Side

WS59




Sold in pairs;
One support is equipped with either 3 12A outlets for 15A circuit or 3 12A outlets for 15A circuit with 2 USB ports;

Accommodate WS50 (12" D), WS51, WS52, WS53, WS56, WS57 shelves;
Dimension : 3½" W x 10¼" D x 16" H;

Product #	Option
WS59-161002	-
WS59-161202	2 USB ports

Riser Shelf Supports with Electrical Outlets on Both Sides

WS55




Sold in pairs;
Each support is equipped with either 3 12A outlets for 15A circuit or 3 12A outlets for 15A circuit with 2 USB ports;
Accommodate WS50 (12" D), WS51, WS52, WS53, WS56, WS57 shelves;
Dimension : 3½" W x 10¼" D x 16" H;
Attractive appearance.

Product #	Option
WS55-161002	-
WS55-161202	2 USB ports

Econo Riser Shelf Supports

WS82




Sold in pairs;
Permit installation of one or two shelves (12" D);
Accommodate WS50 and WS56 shelves only;
Total height : 16";
Mid-height shelf : 8";
Easy to assemble.

Product #	Height
WS82-1601	16"

Components – Structure Above the Work Surface

Shelf Back or Front Stop

WS58 / WS99




Painted steel : WS58;
Stainless steel : WS99;
May be attached to WS50, WS51, WS52, WS53, WS56, WS57 shelves;
Prevents objects from falling from fixed or adjustable riser shelves;
Clears shelf by 1";
To order, complete product # with steel choice needed. Ex.: WS58-48 for painted steel.

Product #	W x H	For Shelf
WS_-48	45" x 2 1/4"	48" W
WS_-60	57" x 2 1/4"	60" W
WS_-72	69" x 2 1/4"	72" W

Back Panel for Riser Shelf

WS83 / WS93




Painted steel : WS83;
Stainless steel : WS93;
Mounted at the back of the work area and the riser shelf;
May be mounted on all surfaces or on any shelf;
Holes for cables;
Height : 20". Exceeds the riser shelf to prevent objects from falling;
To order, complete product # with steel choice needed. Ex.: WS83-4616 for painted steel.

Product #	Width
WS_-4816	48"
WS_-6016	60"
WS_-7216	72"

Lighting Fixture for Riser Shelf

WS84



Eliminates shaded areas beneath riser shelves;
May be mounted on all types of riser shelves;
Adaptors for WS50 steel riser shelf included;
T8 fluorescent tube included;
Includes K12 acrylic outlet, 10' power cord and switch;
Color : Black;
T8 ballast as energy saver.


Product #	For Shelves
WS84-36T8	48" and over
WS84-48T8	60" and over



WSC2018

LED Light for Riser Shelf

WS7A



Eliminates shaded areas beneath riser shelves;
Casts brighter light than fluorescent tubes and is more energy efficient;
Color temperature : 6000-7000 K (cool);
Equipped with a 10 foot long cord;
Can be installed under riser shelves;
Two different galvanized adaptors can be ordered :
Adaptor 01 fits on the WS51, WS52, WS53 and WS57 shelves.
Adaptor 02 fits on the WS50 and WS56 shelves;
To order, complete the product # with the adaptor # : 01 or 02.


Product #	Width	For Shelves
WS7A-1812	18"	48" and over
WS7A-2412	24"	48" and over
WS7A-3612	36"	48" and over
WS7A-4812	48"	60" and over
WS7A-6012	60"	72" and over



Components – Structure Above the Work Surface

Electronic Applications

Power Outlet Strip




15A strip equipped with breakers and 6' extension cord;
Mounted horizontally beneath the work surface or the riser shelf;
Installation hardware included.

Product #	H	No. of Outlets
70000500	9"	5 Without on/off switch
70000505	12"	6 With on/off switch
70000520	48"	8 With on/off switch



LC3004C


Grounding Block



2 outlets for ground wrist strap;
Comes with 10' long grounding cord;
Dissipates electric charges that could damage electronic components.

Product #
70000350

Grounding Cord




WS89

Links dissipative top or shelf to grounding block or directly to ground;
Dissipates electric charges that could damage electronic components;
10' long.

Product #
70000300 Used to ground workstation. 1M Ω resistance.
WS89-01 Used to ground all components on the workstation to a common grounding point.

Ground Wrist Strap




Stretch material;
6' cable;
Dissipates electric charges that could damage electronic components;
1M Ω resistance.

Product #
70000320

Conductive Plastic Bin



RG21



Dissipates electric charges that could damage electronic components;
Color : Black;
Makes storing, moving and inventory of small parts easier. Lightweight and resistant;
Compatible with WM55 louvered panel, WM28 plastic bin rail and 3" and 4" high drawers;
Edge at 45° angle for easy identification and easy removal of parts;
6" bins can be divided.


Dimensions			Product #		
W	D	H	Bin	Partition	Divider
3"	3"	2"	RG21-030302	-	-
4"	3"	2"	RG21-040302	-	-
6"	3"	2"	RG21-060302	RG23-0302	-
6"	6"	2"	RG21-060602	RG23-0602	RG25-0602
3"	3"	3"	RG21-030303	-	-
4"	3"	3"	RG21-040303	-	-
6"	3"	3"	RG21-060303	RG23-0303	-
6"	6"	3"	RG21-060603	RG23-0603	RG25-0603

Components – Structure Above the Work Surface

Multi-Purpose Frame Components

Multi-Purpose Upright

WM10



May be installed on most workbench tops offered on the market. Requires a good quality top, at least 1 1/2" thick;

Characterized by its shape and rigidity;

Offers up to six fixing zones for a minimum of interference between components;

Perforated on front and back faces at 1" c/c intervals for optimum adjustment of accessories ① ② ④ ⑤;

Features two black aluminum extrusions on the sides for infinitely adjustable accessories ③ ⑥;

Five anchor points on the foot ensure stability on the two main axes;


Symmetrical shape means the upright may be used for back-to-back workstations;

The 48" height is ideal for overhead accessories.

Product #	Height
WM10-24	24"
WM10-36	36"
WM10-48	48"

Top Flange for WM11 Frame - 28" / 56" W

WS18 / WS98



Painted steel : WS18;

Stainless steel : WS98;

Designed specifically to be compatible with the WM11 frame of 28" and 56" wide;

Installs on all types of tops;

Height : 5". Exceeds top by approx. 3 1/4";


Designed for an upright that is centered on the workstation;

Specify type of steel to place order. Ex.: WS18-480502 for a top flange in painted steel for a WM11 frame measuring 28" wide with 2 uprights.

Product #	Width	Application
WS_-360502	36"	For 2 WM uprights
WS_-480502	48"	For 2 WM uprights
WS_-600502	60"	For 2 WM uprights
WS_-600503	60"	For 3 WM uprights
WS_-720502	72"	For 2 WM uprights
WS_-720503	72"	For 3 WM uprights

Upright Cross Member

WM15



Strengthens unit frames;


Hooks onto WM10 uprights and can be secured in place;

Includes two knockouts for pneumatic connectors.

Product #	Width (c/c)
WM15-28	28"
WM15-34	34"
WM15-56	56"
WM15-68	68"

Cantilever Overhead Supports

WM18



Sold in pairs;

Clip onto WM10 uprights;


Lock in place with a safety latch located on the top of the support;

Capacity : are designed to hold a WM45/WM43 overhead workstation light and one WM47 tool rail, or two WM47 tool rails.

Product #	Depth	Color
WM18-26	26"	Black

WM Unit Frame

WM11




The single unit frame consists of:

- 2 WM10 uprights
- 1 WM15 upright cross member

Capacity : 300 lb per unit frame.

Product #	W x H	W Required
WM11-2836	28" x 36"	36" min.
WM11-2848	28" x 48"	36" min.
WM11-3436	34" x 36"	48" min.
WM11-3448	34" x 48"	48" min.



The double unit frame consists of:


- 3 WM10 uprights
- 2 WM15 upright cross members

Capacity : 250 lb per unit frame (Total : 500 lb).

Product #	W x H	W Required
WM11-5636	56" x 36"	60" min.
WM11-5648	56" x 48"	60" min.
WM11-6836	68" x 36"	72" min.
WM11-6848	68" x 48"	72" min.

Top Flange for WM11 Frame - 34" / 68" W

WS1A / WS91



Top flange in painted steel : WS1A;

Top flange in stainless steel : WS91;

Designed specifically to be compatible with the WM11 frame measuring 34" and 68" wide;

Installs on all types of tops;

Height : 5". Exceeds top by approx. 3 1/4";


Designed for an upright that is centered on the workstation.

Specify the type of steel to place order. Ex.: WS1A-480502 for a top flange in painted steel for a WM11 frame measuring 34" wide with 2 uprights.

Product no.	Width	Application
WS_-480502	48"	For 2 WM uprights
WS_-600502	60"	For 2 WM uprights
WS_-720502	72"	For 2 WM uprights
WS_-720503	72"	For 3 WM uprights

Top Reinforcer

WM14




Required for work tops less than 1 1/2" thick, in poor condition or back-to-back workstations;

Used to strengthen the anchor points of the WM10 upright;

Fastened to the underside of the work surface.

Product #	W x D	Color
WM14-01	4" x 16"	Black



WOOD AND PLASTIC TOPS

STEEL TOPS




Recommended with work tops other than Rousseau's.

Components – Structure Above the Work Surface

WORK CENTER

Multi-Purpose Wall Mounted Frame

WM35



300 lb capacity (wall and wall anchoring must be strong enough);

Up to 500 lb capacity for a combination of 3 uprights;

Perforated on front face at 1" c/c intervals for optimum adjustment of accessories;

Wall anchoring not included;

Compatible accessories (space between uprights must be 28" or 34" c/c):



- WM18 cantilever overhead supports
- WM20 tiltable shelf
- WM22 tiltable pan
- WM27 structural shelf supports
- WM28 plastic bin rail
- WM31 wire spool support
- WM40 power outlet channel
- WM55 louvered panel for plastic bins
- WM75 storage cabinet
- RD00 wall cabinet (with RD08 adaptors)
- WM Adaptor NC50 (with tool rack NC10 / NC12)



Product #	Height	Number of Uprights
WM35-7201	72"	1
WM35-7202	72"	2
WM35-7203	72"	3

Tiltable Shelf

WM20



Clips onto WM10 uprights;

Slotted to receive SH52 dividers at every 2" c/c;
Includes 2 side supports that may be placed at right angles or at an angle of 15°;


The shelf is reversible and its edge may serve as a back stop for plastic bins or binders;

Capacity : 100 lb, evenly distributed load.

Product #	W x D
WM20-2808	28" x 8"
WM20-2812	28" x 12"
WM20-3408	34" x 8"
WM20-3412	34" x 12"

Wall Mounted Perforated Panel

WM51 / WM56



Perforated panel for the WM35 wall mounted frame : WM51;

Perforated panel for hanging directly on the wall : WM56;

Painted steel perforated every 1" c/c;


Used to hang accessories or tools.

Product #	W x H	Model
WM51-2424	24" x 24"	For WM35 frame
WM51-2436	24" x 36"	For WM35 frame
WM56-2424	24" x 24"	Wall mounted
WM56-2436	24" x 36"	Wall mounted
WM56-2472	24" x 72"	Wall mounted

Partial Divider

PATENTED

SH52




Unique patented divider;

May be used with WM20 8" and 12" deep shelves; adjustable every 2" c/c;

Installed in the shelf slots, forward or backward.

Product #	D x H
SH52-1206	8" x 6"

Pictograms to facilitate installation



Components – Structure Above the Work Surface

Shelf

WS50 / 51 / 52 / 53 / 56 / 57




Installed on WM10 uprights with WM27 shelf supports;
Capacity : 200 lb;
Possible to add WS58 or WS99 shelf back or front stop;
Thickness : 1 1/4".

Product #	W x D	Type of Shelf
WS50-6012	56 3/4" x 12"	Steel
WS51-6012	60" x 12"	Laminated wood
WS52-6012	60" x 12"	Plastic laminated
WS53-6012	60" x 12"	Dissipative
WS56-6012	56 3/4" x 12"	Stainless steel
WS57-6012	60" x 12"	Acrylic/PVC laminated
WS50-7212	68 3/4" x 12"	Steel
WS51-7212	72" x 12"	Laminated wood
WS52-7212	72" x 12"	Plastic laminated
WS53-7212	72" x 12"	Dissipative
WS56-7212	68 3/4" x 12"	Stainless steel
WS57-7212	72" x 12"	Acrylic/PVC laminated

Sliding Divider

WS87




Clips onto a 12" deep WS50 steel shelf installed above or below the work surface;

Not compatible for use with WS58 shelf with a back or front stop.

Product #	D x H
WS87-1210	12" x 10"

Plastic Bin Rail

WM28



Clips onto the WM10 uprights; adjustment every 1" c/c;

Suited to all makes of plastic bins with hanger lip sold on the market;

Can receive all sizes of RG20 plastic bins;


Capacity : 75 lb, evenly distributed load.

Product #	Width
WM28-2801	28"
WM28-3401	34"


SEE PAGE 126

Structural Shelf Supports

WM27



WM27-1201



WM27-1202

Sold in pairs;

Clip onto WM10 uprights;


Used with all types of 48", 60" or 72" wide shelves;

May be positioned at a right angle or inclined at an angle at 15°.

Product #	Depth for Shelves
WM27-1201	12" WS50, WS56
WM27-1202	12" WS51, WS52, WS53, WS57

Tiltable Pan

WM22



Clips onto WM10 uprights;

Three positions: front, center and back;

Unique feature: may be easily tilted from 0 to 30° with 5 adjustment positions;

Full-size rubber mat included;

Usable space : 24 1/2" x 18 1/2" (28" x 20");

Usable space : 30 1/2" x 18 1/2" (34" x 20");


Capacity : 200 lb.

Product #	W x D
WM22-2820	28" x 20"
WM22-3420	34" x 20"



Tool Support

WM30



WM28

WM30

Made of galvanized steel;


Installs on WM20 shelf, WM28 plastic bin rail or on WM62 monitor tray;

Features holes of several sizes to hang tools.

Product #	Width
WM30-01	12"

Wire Spool Support

WM31



Includes 2 side supports and a 3/4" diameter rod;

Capacity : 50 lb.

Product #	Width
WM31-2801	28"
WM31-3401	34"

Components – Structure Above the Work Surface

Plastic Bin




Make storing, moving and inventory of small parts easier. Lightweight and resistant;
Edge at 45° angle for easy identification and easy grasp of bins;
Compatible with WM55 louvered panel, WM28 and WM9C plastic bin rail;
6" bins can be divided.

RG20

Dimensions			Product #		
W	D	H	Bin	Partition	Divider
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

Paper and Cardboard Spool Support

WM86




Installs on WM10 uprights to create a packaging station;
Includes two end brackets and one rod;
Rod diameter : 1";
One person alone may insert the spool by pivoting one end of the rod;
Color : Black;
Capacity : 75 lb.

Product #	Width
WM86-56	56"
WM86-68	68"

Tool Rail

WM47




Allows the installation of one or more WM48 balancer trolley;
Installs on WM18 cantilever overhead supports (sold separately);
Easily adjustable depth;
Color : Black;
Capacity : 25 lb.


Product #	Width	c/c intervals
WM47-4801	48"	28" / 34"
WM47-6001	60"	28" / 34" / 56"
WM47-6002	60"	68"

Joiner for Tool Rail

WM89




Allows assembly of two WM47 tool rails on adjacent workstations.
Product #
WM89-01



Balancer Trolley

WM48




Inserts into the WM47 tool rail;
Color : Black;
Can receive a pneumatic connector.

Product #
WM48-01

Tool Balancer

WM49



Allows hanging of tools overhead, above the work surface;
Six foot metal cable with tension adjustment;
Color : Black;
Capacity : up to 3 lb.

Product #
WM49-01



LC3012C

Components – Structure Above the Work Surface

Computer Supports for Work Surfaces

All models presented includes these specifications :

Installs on the work surface with the RC68 or RC69 finishing panel for computer support;
Compatible with the following work surface : WS14, RC35, RC36 and RC37;
Each support comes with an 18" high post allowing a custom fit for each user;

The work surface shall extend beyond the rear by 1 ½";
Articulating arms, adaptors and trays are painted in black;
Does not install directly on the housing.

LCD Monitor Support



Designed to support most LCD monitors up to 21" available on the market;
Includes one or two double articulating arms;
Positioning of monitor anchors comply with VESA 75 and 100 standards;
The double articulating arm allows for increased adjustability;
The screen can also be tilted for better ergonomics;
Single or double LCD monitor support available for order.

Product #	For
RC59-03	Single screen
RC59-04	Double screen

Laptop Support



Designed to hold a laptop computer, papers, binders or any other object;
Usable tray surface : 14" W x 12" D;
Includes one double articulating arm and the tray;
The double articulating arm allows for increased adjustability;
The tray can also be tilted for better ergonomics.

Product #
RC59-42

LCD Monitor, Keyboard and Mouse Support



Designed to hold a computer monitor, keyboard and mouse;
Usable surface of the keyboard and mouse tray: 23 ¾" W x 8 ½" D;
Includes one articulating arm and the tray;
Positioning of monitor anchors comply with VESA 75 and 100 standards;
Can support most LCD monitors up to 21" available on the market;
Tray and screen can also be tilted for better ergonomics.

Product #
RC59-21

Electronic Tablet Support




Designed to support most electronic tablets on the market;
Includes one double articulating arm and the tablet support;
Safely holds the tablet in place;
The holding clamps and back of the support are rubberized to help prevent scratches and damage to the device;
The double articulating arm allows for increased adjustability;
The support can also be tilted for better ergonomics.

Product #
RC59-62

Light-Duty Arm for Multi-Purpose Frames

Light-Duty Arm Adaptor



Quick assembly on WM10 uprights;
Allows the attachment of different makes of lamps or document holders with a ½" diameter rod pivot;
Capacity : 20 lb.

Product #	Color
WM68-01	Black

WM68


Light-Duty Arm

Attaches to the WM68 light-duty arm adaptor to extend the range of a document holder or lamp pivoting on a ½" diameter rod;
Capacity : 20 lb.

Product #	Width	Color
WM69-12	12"	Black

WM69

Document Holder with Arm



Includes a WM68 light-duty arm adaptor and a 12" WM69 light-duty arm;
The document holder (14" x 13 ½") features a paper clip and edge on which to rest binders;
Capacity : 20 lb.

Product #	Color
WM70-01	Black

WM70



Components – Structure Above the Work Surface

Computer Supports for Multi-Purpose Frames

LCD Monitor Support



Designed to support most LCD monitors up to 21" available on the market;
Includes one double articulating arm;
Positioning of monitor anchors comply with VESA 75 and 100 standards;
The double articulating arm allows for increased adjustability;
The screen can also be tilted for better ergonomics;
Color: black;
Wall anchoring kit not included.

Product #	Model
WM05-03	For WM11 frame
WM06-03	Wall mounted

LCD Monitor, Keyboard and Mouse Support



Designed to hold a computer monitor, keyboard and mouse;
Usable surface of the keyboard and mouse tray: 23 3/8" W x 8 1/2" D;
Includes one double articulating arm for the tray and one articulating arm for the screen;
Positioning of monitor anchors comply with VESA 75 and 100 standards;
Can support most LCD monitors up to 21" available on the market;
Tray and screen can also be tilted for better ergonomics;
Color: black;
Wall anchoring kit not included.

Product #	Model
WM05-22	For WM11 frame
WM06-22	Wall mounted

Laptop Support



Designed to hold a laptop computer, papers, binders or any other object;
Usable tray surface : 14" W x 12" D;
Includes one double articulating arm and the tray;
The double articulating arm allows for increased adjustability;
The tray can also be tilted for better ergonomics;
Color: black;
Wall anchoring kit not included.

Product #	Model
WM05-42	For WM11 frame
WM06-42	Wall mounted

LCD Monitor, Keyboard and Mouse Support



Designed to hold a computer monitor, keyboard and mouse;
Usable surface of the keyboard and mouse tray: 23 3/8" W x 8 1/2" D;
Includes one articulating arm, the tray and adaptor for the screen;
Positioning of monitor anchors comply with VESA 75 and 100 standards;
Can support most LCD monitors up to 21" available on the market;
Tray and screen can also be tilted for better ergonomics;
Color: black;
Wall anchoring kit not included.

Product #	Model
WM06-21	Wall mounted

Electronic Tablet Support



Designed to support most electronic tablets on the market;
Includes one double articulating arm and the tablet support;
Safely holds the tablet in place;
The holding clamps and back of the support are rubberized to help prevent scratches and damage to the device;
The double articulating arm allows for increased adjustability;
The support can also be tilted for better ergonomics;
Color: black;
Wall anchoring kit not included.

Product #	Model
WM05-62	For WM11 frame
WM06-62	Wall mounted




WM05-62

WM05-42

Components – Structure Above the Work Surface

Privacy Panel and Perforated Panel

WM52 / WM53



Painted steel : WM52;
Used to close the multi-purpose frame at the back;
Painted steel perforated every 1" c/c : WM53;
Used to hang accessories or tools;
WM50 panel bracket kit must be ordered separately
(1 kit per panel or for 2 back-to-back panels);
- 24" H panel may be installed on 36" H and
48" H uprights
- 36" H panel must be installed on 48" H
uprights only;
Note : 24" W panel must be installed on 28" c/c uprights;
Note : 30" W panel must be installed on 34" c/c uprights.

Product #	W x H	Product #	W x H
WM52-2424	24" x 24"	WM52-3024	30" x 24"
WM52-2436	24" x 36"	WM52-3036	30" x 36"
WM53-2424	24" x 24"	WM53-3024	30" x 24"
WM53-2436	24" x 36"	WM53-3036	30" x 36"



WORK CENTER

Vinyl Rub-on Identification Decal

WM91



Allows you to easily identify where tools are to be positioned on the perforated panels;
The contrasting color provides fast retrieval and shows if tools are missing, and which ones;
Efficient help for 5S management;
Sold in rolls 2 feet wide and 8 feet long.



Product #
WM91-01J

SEE
PAGES
136-137

Panel Bracket Kit

PATENTED

WM50



Includes 4 brackets;
Required for installation of WM52, WM53 and WM54 panels;
Easy assembly on WM10 upright sides, no tools required.

Product #	Color
WM50-01	Black

Multiple Tool Holder

WM94



Used for WM51, WM53, WM56 and WM57 perforated panels to hang accessories or tools.

Product #	W x H
WM94-01	9" x 1 1/2"

Straight Arm Hooks

WM96



Used for WM51, WM53, WM56 and WM57 perforated panels to hang accessories or tools;
Sold in packs of 20.

Product #	Depth
WM96-150	1 1/2"

Double Back Single and Double Hooks WM98 / WM99



Used for WM51, WM53, WM56 and WM57 perforated panels to hang accessories or tools;
Sold in packs of 10.

Product #	Depth	Type
WM98-03	3"	Single
WM98-05	5"	Single
WM99-03	3"	Double
WM99-05	5"	Double

Screwdriver Holder

WM95



Used for WM51, WM53, WM56 and WM57 perforated panels to hang screwdrivers;
May store up to 6 screwdrivers.

Product #	W x D x H
WM95-01	9" x 1 1/2" x 1 3/4"

Single Loop Hooks

WM97



Used for WM51, WM53, WM56 and WM57 perforated panels to hang accessories or tools;
Sold in packs of 20.

Product #	Diameter
WM97-150	1 1/2"
WM97-200	2"


NOTE

Compatible with perforated panels with 1/4" holes at every 1" c/c. These panels are among the most popular on the market.

Components – Structure Above the Work Surface

Tackboard and Marker Panel

WM54



Dual-function reversible panel: tack notes to a cork board and write on a white steel surface using erasable felt-tip markers;


The panel surface is magnetic;

WM50 panel bracket kit must be ordered separately.

Product #	W x H	Uprights c/c
WM54-2424	24" x 24"	28"
WM54-3024	30" x 24"	34"

Louvered Panel for Plastic Bins

WM55



Painted steel;

Used to hang RG20 plastic bins;

Can be used for all brands of plastic bins with hanger lip sold on the market;

Hooks onto WM10 uprights;

Note : 28" W panel must be installed on 28" c/c uprights;

Note : 34" W panel must be installed on 34" c/c uprights.


Product #	W x H	Uprights (H)
WM55-2824	28" x 24"	36" to 48"
WM55-2836	28" x 36"	48"
WM55-3424	34" x 24"	36" to 48"
WM55-3436	34" x 36"	48"



Vertical Adaptor for Electrical and Air Outlets



WM41



Installs on the side of WM10 upright;


Can receive a power outlet strip or pneumatic connector.

Product #	Height	Color
WM41-01	8"	Black

Panel Bracket Kit



WM50



Includes 4 brackets;

Required for installation of WM52, WM53 and WM54 panels;

Easy assembly on WM10 upright sides, no tools required.

Product #	Color
WM50-01	Black



Power Outlet Strip

70000500 / 70000505




15A strip equipped with breakers and 6' extension cord;

Requires WM41 adaptor.

Product #	Length	No. of outlets
70000500	9"	5 without on / off switch
70000505	12"	6 with on / off switch

Power Outlet Channel

WM40



Hooks easily onto WM10 uprights;

Each power outlet channel is equipped with either 3 12A outlets for 15A circuit or 3 12A outlets for 15A circuit plus 2 USB ports;

Both options include 2 knockouts for pneumatic fittings;

Order by choosing the width of the power outlet channel : 28" or 34".

Product #	Option
WM40- _1001	-
WM40- _1201	2 USB ports

Components – Structure Above the Work Surface

Lamp with Magnifier and Fluorescent Light 70000635



Attaches on work surface or on WM10 uprights with a WM68-01 light-duty arm adaptor, sold separately;

The lamp's reach on the upright may be lengthened with a WM69-12 light-duty arm, sold separately;

Dioptric grade : 3 (magnification: 1.75X);


Color : Black;

Fluorescent tube included.

Product #

70000635

Parabolic Louver (1/2" x 1/2") WM46



Option for WM45 overhead workstation light to reduce light reflection on a computer screen.

Product # **Width**

WM46-4801

48"

Overhead LED Workstation Light WM43



Installs on WM18 cantilever overhead supports (must be ordered separately);

Installation on single or double unit frames;

Casts brighter light than fluorescent tubes and is more energy efficient;

Color temperature : 6000-7000 K (cool);

Galvanized adaptor included;

Equipped with a 10 foot long cord.

Product # **Width** **Uprights Width**

WM43-3602

36"

28" and 34" c/c

WM43-4801

48"

28" and 56" c/c

WM43-4802

48"





34" c/c

WM43-6001

60"

34", 56" and 68" c/c

Overhead Workstation Light WM45



Installs on WM18 cantilever overhead supports (must be ordered separately);

2 fluorescent tubes (T8) included;

Lighting directed downward; no blinding effects;

Installation on single or double unit frames;

Attachments allow the light fixture to pivot and adjust front to back;

Color : Black;

Ballast : electronic;

Includes one K12 acrylic louver, 10' extension cord and an on/off switch.

Product # **Width**

WM45-48T8-28

28"

WM45-48T8-34

34"

WM45-48T8-56

56"

WM45-48T8-68


68"



Storage Cabinets

Storage Cabinet

WM75



POSSIBLE CONFIGURATIONS



Clips onto WM10 uprights or may be hung under the work surface;

May be secured to the uprights with tapping screws;

The storage cabinet may be subdivided with a WM20 shelf and SH52-1206 partial dividers, as needed;

Compatible with LED light (WM44) offered as an option;

Capacity : 200 lb.

Product # **W x D x H**

WM75-281516 28" x 15" x 16" Without door


WM75-281516L3 28" x 15" x 16"

With door and lock (2 keys)

WM75-341516 34" x 15" x 16" Without door

WM75-341516L3 34" x 15" x 16"


With door and lock (2 keys)



NOTE Adjustable shelf (WM20) and dividers (SH52) sold separately.

Components – Structure Above the Work Surface

Wall Cabinet



Can be anchored to a wall or installed on a WM11 structure (27", 30" and 36" W) with the RD08 adaptors for WM unit frame;

Bottom shelf included;

Adjustable shelf included with 30" H cabinet;

SH52 dividers can be installed on the shelves;

Wall anchoring not included;

Choice of doors, complete the part # with:

00 : Without doors

01 : Solid integrated door
(except the R5MEA-18__)

02 : Polycarbonate single integrated door (for 24" H housings and over)

03 : Solid double integrated doors (for 24" H housings and over, 30" W and over)


04 : Polycarbonate double integrated doors (for 24" H housings and over, 30" W and over)

11 : Flipper door (for 18" H housings only)

Height	Width x Depth			
	24" x 14"	27" x 14"	30" x 14"	36" x 14"
18"	R5MCA-18__	R5MPA-18__	R5MDA-18__	R5MEA-18__
24"	R5MCA-24__	R5MPA-24__	R5MDA-24__	R5MEA-24__
30"	R5MCA-30__	R5MPA-30__	R5MDA-30__	R5MEA-30__

Adaptors for RD00 Cabinet

RD08




For attaching wall cabinet 27", 30" and 36" W to WM11 unit frame (2 WM10 uprights and WM15 cross member);

Easy to install.

Product #	Width
RD08-28	28"
RD08-34	34"

Adjustable Shelf

RD05



Equipped with back stop to prevent objects from falling into bottom of cabinet;

Adjustable every 1" c/c;


Can hold up to 100 lb, evenly distributed;

Compatible with SH52 dividers.

Product #	W x D
RD05-2412	24" x 12"
RD05-2712	27" x 12"
RD05-3012	30" x 12"
RD05-3612	36" x 12"

Lighting Fixture for Wall Cabinet

RD09



Eliminates shaded areas beneath wall cabinet;

T8 fluorescent tube included;

Includes acrylic outlet, 10' power cord and switch;

Color : Black;


Available widths: 36" and 48";

T8 ballast as energy saver.

Product #	Color
RD09-36T8	Black
RD09-48T8	Black

Wall Cabinet Housing

RD00



Specifically designed to be anchored to a wall or attached to the WM11 structure (27", 30" and 36" W) with the RD08 adaptors for WM unit frame;

Bottom shelf included;

Shelves, adjustable every 1" c/c, can be installed;

Capacity : 600 lbs, wall and wall anchoring must be strong enough;

Wall anchoring not included;


Cabinet heights available : 18", 24" and 30";

Adaptors for cabinet RD08 must be ordered to fix the wall cabinet 27", 30" and 36" W attached to the WM11;

Order by adding the cabinet height to the number. Ex.: RD00-241418.

Product #	W x D
RD00-2414__	24" x 14"
RD00-2714__	27" x 14"
RD00-3014__	30" x 14"
RD00-3614__	36" x 14"

Single Integrated Door, Solid and Polycarbonate RD10 / RD11



Solid integrated door : RD10;

Polycarbonate integrated door : RD11;

Compatible with RD05 adjustable shelves;

Opens 180° to allow full access to stored items;

Standard lock included;

Door widths available : 24", 27", 30" and 36";


Order by specifying the door type, as well as the door width. Ex.: RD10-2414L3.

Product #	Height
RD10-__14L3	14" Except 36"
RD__-__20L3	20"
RD__-__26L3	26"



KA, KD or MK
SEE PAGE 198

Double Integrated Doors, Solid and Polycarbonate RD15 / RD16



Solid double integrated doors : RD15

Polycarbonate double integrated doors : RD16

Compatible with RD05 adjustable shelves;

Open 180° to allow full access to stored items;

Standard lock included;

Order by specifying the type of door.

Ex.: RD15-3020L3.


Product #	W x H
RD__-3020L3	30" x 20"
RD__-3026L3	30" x 26"
RD__-3620L3	36" x 20"
RD__-3626L3	36" x 26"



KA, KD or MK
SEE PAGE 198

Flipper Door

RD20



Full width handle for easy, comfortable operation;

Standard lock included;

To order econo lock-in mechanism, complete part # with B;

Compatible with RD05 adjustable shelves (must be factory intalled);

For 18" H cabinet housings only.

Product #	W x H
RD20-2414L3	24" x 14"
RD20-2714L3	27" x 14"
RD20-3014L3	30" x 14"
RD20-3614L3	36" x 14"



KA, KD or MK
SEE PAGE 198

Components – Specialized Structure for Technicians



R5XHG-4005

The specialized structure for technicians allows you to store a multitude of accessories, from the simplest of tools to a computer with LCD monitor, while being very easy to access.

The component layout is easy to change with a minimum number of tools. You can easily change and expand your structure according to your needs. In addition, our products set themselves apart by their superior quality, design and attention to detail. All screws are hidden from view, making the overall look very appealing.

Tech Upright

RD44



Used for installing a storage cabinet (RD02), Smart computer cabinet (R5MCA), panel supports (RC47) and power or cover panels (RC60/RC61/RC62/ RC63);

Solid anchor system to the top of the work surface.

Product

RD44-40

Panel Supports

RC47 Cover Panel

RC62 / RC63



Used to install finishing panels (RC41/RC42), perforated panels (RC43/RC44) and louvered panels (RC45);

Allows user to install different combinations of panels;

Supports for the lower section 01. Must be ordered when installing two finishing panels, one above the other, or a finishing panel with the RD02 storage cabinet;

Supports for the upper section 02. Must be ordered when installing two finishing panels, one above the other, to create a full-height wall only;

When ordering a support for the lower section add 01 to the end of the number, for the upper section add 02.

Product #	Width
RC47-24	24"
RC47-30	30"
RC47-36	36"
RC47-48	48"



Painted steel : RC62;

Stainless steel : RC63;

Can be combined with a power feed panel when required, or used on its own to cover the foot of the tech support – used to achieve a polished look;

Height of 4";

Available for application with tech uprights (RD44).

Product #	Width
RC_-2401	24"
RC_-3001	30"
RC_-3601	36"
RC_-4801	48"

Finishing Panel

RC41 / RC42



Painted steel : RC41;

Stainless steel : RC42;

Provides an impeccable finish;

Upper panel can be replaced with a cabinet (RD02);

Stacking two panels (15" + 20") is possible in order to achieve a full height wall;

Lower finishing panel = 15" high;

Upper finishing panel = 20" high;

When ordering a finishing panel for the lower section add 15 to the end of the number, for the upper section add 20.

Product #	Width
RC_-24	24"
RC_-30	30"
RC_-36	36"

Power Feed Panel

RC60 / RC61



Painted steel : RC60;

Stainless steel : RC61;

Includes a power bar with 3 12A outlets for 15A circuit;

2 options available : 2 USB jacks and/or perforations for air connection and a perforations (covered with a finishing panel) for installation of a telephone jack or computer network;

Available for applications with tech uprights (RD44);

Can be combined with a cover panel when required, or used on its own to cover the foot of the tech upright – used to achieve a polished look;

To order, complete the product # by choosing the desired width : 30", 36", 48", 60".

Product #	Option
RC60-__1001	-
RC60-__1101	Perforations
RC60-__1201	2 USB ports
RC60-__1301	2 USB ports, perforations
RC61-__1001	-
RC61-__1101	Perforations
RC61-__1201	2 USB ports
RC61-__1301	2 USB ports, perforations

Components – Specialized Structure for Technicians

Perforated Panel

RC43 / RC44



Painted steel : RC43;
Stainless steel : RC44;
Perforated at every 1" c/c, the panel is compatible with all of the WM9_ hooks;
Upper panel can be replaced with the RD02 cabinet;
Stacking two panels (15" + 20") is possible in order to achieve a full height wall;
Lower perforated panel = 15" high;
Upper perforated panel = 20" high;
When ordering a perforated panel for the lower section add 15 to the end of the number, for the upper perforated panel add 20.

SEE
PAGES
72,129

Product #	Width
RC_-24_	24"
RC_-30_	30"
RC_-36_	36"

Louvered Panel

RC45



Offered in painted steel only;
Compatible with RG20 plastic bins and any other type of plastic bin with hanging lip on the market;
Upper panel can be replaced with the RD02 cabinet;
Stacking two panels (15" + 20") is possible in order to achieve a full height wall;
Lower louvered panel = 15" high;
Upper louvered panel = 20" high;
When ordering a louvered panel for the lower section add 15 to the end of the number, for the upper louvered panel add 20.


Product #	Width
RC45-24_	24"
RC45-30_	30"
RC45-36_	36"

Smart Computer Cabinet



Cabinet dimensions : 24" W x 14" D x 21" H;
Polycarbonate surface dimensions :
18 7/8" W x 14 1/8" H;
Useable support surface : 22 1/2" W x 14 1/2" D.

Product #	Type
R5MCA-2450	Wall-mounted cabinet only
R5MCA-2451	Wall-mounted cabinet with polycarbonate door
R5MCA-2452	Wall-mounted cabinet with keyboard and mouse support
R5MCA-2453	Wall-mounted cabinet with polycarbonate door and keyboard and mouse support
R5MCA-2454	Wall-mounted cabinet with flipper door and laptop support



Storage Cabinet

RD02



Can be used in a wall mounted application as well as with the RD44 tech uprights;

The back is detachable for wall mounted applications which allows for easy access to wall outlets, etc;

Offered with RD20 flipper door with ergonomic full width handle;

Compatible with the lighting fixture (RD09) and LED light (RD45);

Standard lock included.



Product #	W x D x H
R5MCB-2111	24" x 14" x 21"
R5MDB-2111	30" x 14" x 21"
R5MEB-2111	36" x 14" x 21"
R5MGB-2111	48" x 14" x 21"
R5MKB-2111	60" x 14" x 21"

Fluorescent Light

RD09



Eliminates shaded areas beneath upper cabinet;
T8 fluorescent tube included;
Includes acrylic outlet, 10' power cord and switch;
Color : Black;
Available width : 36" and 48";
T8 ballast as energy saver.

Product #	Width
RD09-36T8	36"
RD09-48T8	48"

LED Light

RD45



Eliminates shaded areas under the cabinet;
Can be installed under the RD00 / RD02 cabinet;
Casts brighter light than fluorescent tubes and is more energy efficient;
Color temperature : 6000-7000 K (cool);
Galvanized steel adaptor is included;
Equipped with a 10 foot long cord.

Product #	Cabinet width
RD45-1814	24"
RD45-2414	30", 36"
RD45-3614	42", 48", 24"+24"
RD45-4814	60", 30"+30"
RD45-6014	36"+36"

NOTE Not compatible with smart computer cabinet and lighting fixture RD09.

Accessories - Specialized Structure for Technicians

Multi-Purpose Holder



Possible to store up to 4 aerosol cans;
Compatible with pop cans;
Fastens firmly with hooks to RC41, RC42, RC43, RC44 and RC45 panels;
Can be installed along the width of the workstation, just above the finishing panel, lower section;
Model ending with 12 is designed to be installed under the storage cabinet (RD02).

Product #	W x D x H
RC51-120303	12" x 3" x 3"
RC51-120312	12" x 3" x 12"



RC51 LCD Screen Support



Can be used to hold a screen with anchors on the back spaced at a distance of 75 mm or 100 mm c/c (VESA 75 and 100 standards), to the RC41, RC42, RC43, RC44 and RC45 panels;
Includes clearance in the center to manage wiring behind the support;
2 positions : straight or tilted 10° forward to decrease light reflections.

Product #
RC52-20

Keyboard and Mouse Support



Useable surface 24" W x 12" D for use with a keyboard and a mouse;
Series of front folds (3/4" surface) for palms of hands;
Fastens firmly with hooks to RC41, RC42, RC43, RC44 and RC45 panels;
Can be installed along the width of the workstation, just above the finishing panel, lower section;
Model ending in 02 designed to be installed under the storage cabinet (RD02).

Product #
RC53-2412
RC53-241202



RC53 Multi-Purpose Support



Can be used to hold different accessories (portable computer, telephone, etc.) measuring 14" W x 12" D at most;
Includes a clamp to hold documents in place;
Series of folds at the front (3/4" surface) for palms of hands;
Fastens firmly with hooks to RC41, RC42, RC43, RC44 and RC45 panels;
Can be installed along the width of the workstation, just above the finishing panel, lower section;
Model ending in 02 designed to be installed under the storage cabinet (RD02).

Product #
RC54-1412
RC54-141202



R5XHH-4002



R5XKH-4006

Components - "5S" Storage for Lean Manufacturing


Over the years, Rousseau has developed storage solutions that satisfy the standards of the "5S" methodology. This Japanese technique is intended to continuously improve the work environment. The goal is to improve organization and create a functional work environment while making sure that each tool has its own place and is clearly identified and easy to find. A choice of 18 standard colors is also offered to facilitate your "5S" management by color.

Moreover, the storage solutions we propose enable you to improve your employees' working conditions and morale, while reducing the time and energy they expend.



Wall Utility Panel

WM57



To store small- and medium-sized tools with visual identification close to the worker or in a store;

Completely flat surface, which makes visual identification easy, using photos, P-touch, stickers or WM91 adhesive decal;

The panels overlap to anchor in the same anchoring zones;

The hardware is positioned between two panels, making them very easy to assemble;

Vertical installation in keeping with architectural standards, using 16" c/c uprights;

Compatible with our heavy-duty hooks;

Compatible with our light hooks.

Product #	W x H
WM57-1618	16" x 18"
WM57-1624	16" x 24"
WM57-1636	16" x 36"
WM57-1648	16" x 48"
WM57-1672	16" x 72"

Finishing Piece

WM58



Finishing piece for end of wall panel assembly;

Simple and quick to install;

Nice appearance;

Note: Compatible with wall panel of the same height. Ex.: WM58-36 is only compatible with WM57-1636.

Product #	Height
WM58-18	18"
WM58-24	24"
WM58-36	36"
WM58-48	48"
WM58-72	72"

Heavy-Duty Hooks

Heavy-Duty Square Hook

WM9A



Used with WM57 wall panels to hang accessories and tools;

Flat surface on top;

Raised end to prevent accessories or tools from sliding;

Hook-on installation;

The side security notches ensure stability;

Capacity : 50 lb;

Sold by the unit;

1" wide.

Product #	Length
WM9A-06	6"
WM9A-12	12"

Heavy-Duty Round Hook

WM9B



Used with WM57 wall panels to hang accessories and tools;

Tube measures 3/4" in diameter;

Allows accessories and tools to slide easily;

Hook-on installation;

The side security notches ensure stability;

Capacity : 50 lb;

Sold by the unit;

Base of hook: 2" x 5".

Product #	Length
WM9B-06	6"
WM9B-12	12"

Supports

Support for Plastic Bins

WM9C



Very useful for hanging plastic bins, making it easy to store small parts;

Hook-on installation;

The side security notches ensure stability;

Ideal for plastic bins available on the market that are equipped with a hook-on edge;

Compatible with RG20 plastic bins;

Bins sold separately.

Product #	W x H	Capacity
WM9C-06	6" x 3"	30 lb
WM9C-15	15" x 3"	60 lb

Can Support

WM9D



Very useful for storing products of all kinds, such as cans of different sizes;

Hook-on installation;

The side security notches ensure stability;

Product #	W x D x H
WM9D-06	6" x 3" x 4"
WM9D-15	15" x 3" x 4"

Components - "5S" Storage for Lean Manufacturing

Light Hooks



Our family of hooks makes it possible for you to store several types of parts, tools and accessories adequately. Compatible with the panels currently available on the market (1/4" holes), Rousseau perforated panels (WM53, RC43, RC44, SH38, SR39, SH39, SH67, SH68 and SH69) and WM57 wall panels.

Type/ Package	Dimensions	Product #	See page
Multiple tool holder / 1	9" W x 1 1/2" H	WM94-01	p. 72, 129
Screwdriver holder / 1	9" W x 1 1/2" D x 1 3/4" H	WM95-01	p. 72, 129
Straight hooks / 20	1 1/2" D	WM96-150	p. 72, 129
Single hooks / 20	1 1/2" diameter	WM97-150	p. 72, 129
Single hooks / 20	2" diameter	WM97-200	p. 72, 129
Double back single hooks / 10	3" D	WM98-03	p. 72, 129
Double back single hooks / 10	5" D	WM98-05	p. 72, 129
Double back double hooks / 10	3" D	WM99-03	p. 72, 129
Double back double hooks / 10	5" D	WM99-05	p. 72, 129

"5S" Identification



A wide selection of identification accessories enables you to organize your work space efficiently. Identifying parts, tools and accessories increases your team's efficiency, makes it easier to take inventory, increases productivity and prevents the misplacement or loss of expensive tools. Taking the time to organize things well can save you time and money.

Accessory	Product #	See page
Label holder -1" H	RG51	p. 162
Labels for label holder	RG53	p. 162
Label holder with adhesive - 1" H	RG52	p. 162
Label holder - 1 3/4" H	RG54	p. 162
Label holder with adhesive - 1 3/4" H	RG55	p. 162
Handle protector	RF70	p. 162
Handle labels	RF71	p. 162
Adhesive identification decal	WM91-01J	p. 72, 129

Drawer Accessories



A wide variety of drawer accessories, all of which complement one another, facilitates the organization and location of small parts. They are ideal for high-density storage, in addition to keeping space free for growth.

Accessory	Product #	See page
Front to back partition	RG00	p. 161
Side to side partition	RG01	p. 161
Divider	RG10	p. 161
Plastic bins	RG20	p. 71, 164, 188
Divider for plastic bins	RG22 / RG24	p. 164
Groove tray	RG35	p. 164
Divider for groove tray	RG39	p. 164
Foam for tools	RG42	p. 163, 188