



## WORK CENTER

The Rousseau work center system offers a multitude of possible layouts, thanks to its numerous accessories which allow you to create a work center that responds to your exact needs.

Whether you are installing a workbench for a production or assembly line, or a custom layout for your machine tool workshop, our line of products offers you an impressive selection of accessories that are sure to meet and surpass your expectations. Whether you are looking for a basic workbench with two legs and a top, or a specialized table, stationary or mobile, you will find a solution for each and every application. From shipping and receiving, to your foreman's office, the quality and variety of our product will more than satisfy you.


Moreover, the Rousseau multi-purpose stand presents an immense advantage by being so easy to reconfigure, without tools. It can be changed according to your evolving needs by simply adding accessories.

Rousseau offers you several work surface dimensions for each of the surfaces offered: painted steel, stainless steel, laminated wood, laminated Acrylic/PVC, laminated and dissipative plastic tops. Rousseau, the one-stop solution to simplify your life!



LC3011C

## The Rousseau Advantages




Rousseau will meet even your most specific workbench need, from top to bottom.




Re-configuring your workbench is easy and can be done without tools. This means your system will evolve with you and your needs.



Our impressive array of standard accessories allows you to build a custom bench.



The WM structure can be installed on most industrial workbenches on the market. The six fixing zones mean limited interference and endless possibilities.




Many of our workbenches can be made mobile in order to better meet your needs.

## General Dimensions

Components and accessories are divided into 3 groups and correspond to the principle workstation zones.






LC3010C



NOTE \*Extensions offered for other heights

SEE PAGE 108

| Index                                  | Page(s)   |
|--|-----------|
| <b>Work Center</b>                     | 96 - 97   |
| Proposals                              | 98 - 105  |
| Components                             |           |
| - work surface                         | 106 - 107 |
| - structure under the work surface     | 108 - 119 |
| - structure above the work surface     | 120 - 132 |
| - specialized structure for technician | 133 - 135 |
| - 5S storage                           | 136 - 137 |
| <b>Multi-Purpose Stand</b>             | 138       |
| Proposals                              | 139 - 140 |
| Components                             | 141       |



## Basic Workbenches

### Basic Workbench with Stringer



WSA2031



This table can be made mobile.

| Dimensions |     |     | Type of Top   |                |              |             |
|------------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 60"        | 30" | 34" | WS_1031       | <b>WS_2031</b> | WS_3031      | WS_9031     |
| 72"        | 30" | 34" | WS_1035       | WS_2035        | WS_3035      | WS_9035     |
| 72"        | 36" | 34" | WS_1039       | WS_2039        | WS_3039      | WS_9039     |

**NOTE**

To order, complete the part number according to the following:

**A** for a stationary table;  
**W** for a mobile table.

Example : **WSW2031**

- 1 top of your choice; \_\_\_\_\_
- 2-27" D x 32" H legs; \_\_\_\_\_
- 1 stringer. \_\_\_\_\_

Mobile model (total height 35") includes the following additional accessories:

- 2 pairs of castor adaptors for legs; \_\_\_\_\_
- 1 pair of 4" rigid casters; \_\_\_\_\_
- 1 pair of 4" swivel casters with total-lock brake; \_\_\_\_\_
- 1 footrest; \_\_\_\_\_

Note : Leg height on mobile models is 28".

### Workbench with Shelf



WSA2019



This table can be made mobile.

| Dimensions |     |     | Type of Top   |                |              |             |
|------------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 60"        | 30" | 34" | WS_1019       | <b>WS_2019</b> | WS_3019      | WS_9019     |
| 72"        | 30" | 34" | WS_1023       | WS_2023        | WS_3023      | WS_9023     |
| 72"        | 36" | 34" | WS_1027       | WS_2027        | WS_3027      | WS_9027     |

**NOTE**

To order, complete the part number according to the following:

**A** for a stationary table;  
**W** for a mobile table.

Example : **WSW2019**

- 1 top of your choice; \_\_\_\_\_
- 2-27" D x 32" H legs; \_\_\_\_\_
- 2 shelves, each 12" D; \_\_\_\_\_
- 1 stringer. \_\_\_\_\_

Mobile model (total height 35") includes the following additional accessories:

- 2 pairs of castor adaptors for legs; \_\_\_\_\_
- 1 pair of 4" rigid casters; \_\_\_\_\_
- 1 pair of 4" swivel casters with total-lock brake; \_\_\_\_\_

Note : Leg height on mobile models is 28".

### Closed Table



WSA2070



This table can be made mobile.

| Dimensions |     |     | Type of Top   |                |              |             |
|------------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 60"        | 30" | 34" | WS_1070       | <b>WS_2070</b> | WS_3070      | WS_9070     |
| 72"        | 30" | 34" | WS_1071       | WS_2071        | WS_3071      | WS_9071     |
| 72"        | 36" | 34" | WS_1072       | WS_2072        | WS_3072      | WS_9072     |

**NOTE**

To order, complete the part number according to the following:

**A** for a stationary table;  
**W** for a mobile table.

Example : **WSW2070**

- 1 top of your choice; \_\_\_\_\_
- 2-27" D x 32" H legs; \_\_\_\_\_
- 1 sliding doors with L3 lock; \_\_\_\_\_
- 2 side panels and 1 back panel; \_\_\_\_\_
- 3 shelves, each 12" D; \_\_\_\_\_
- 2 leg crossbars. \_\_\_\_\_

Mobile model (total height 35") includes the following additional accessories:

- 2 pairs of castor adaptors for legs; \_\_\_\_\_
- 1 pair of 4" rigid casters; \_\_\_\_\_
- 1 pair of 4" swivel casters with total-lock brake; \_\_\_\_\_

Note : Leg height on mobile models is 28".

## Desk with Closed Legs



WSA3043

| Dimensions |     |     | Type of Top   |           |                |             |
|------------|-----|-----|---------------|-----------|----------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood | Plastic lam.   | Acrylic/PVC |
| 60"        | 30" | 30" | WSA1043       | WSA2043   | <b>WSA3043</b> | WSA9043     |
| 72"        | 30" | 30" | WSA1044       | WSA2044   | WSA3044        | WSA9044     |

**NOTE** These models cannot be used in mobile applications.

- 1 top of your choice; \_\_\_\_\_
- 1 back panel; \_\_\_\_\_
- 2-27" D x 28" H closed legs; \_\_\_\_\_
- 1 shelf, 12" D. \_\_\_\_\_

## Closed Desk with Closed Legs



WSA3170

| Dimensions |     |     | Type of Top   |           |                |             |
|------------|-----|-----|---------------|-----------|----------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood | Plastic lam.   | Acrylic/PVC |
| 60"        | 30" | 34" | WSA1170       | WSA2170   | <b>WSA3170</b> | WSA9170     |
| 72"        | 30" | 34" | WSA1171       | WSA2171   | WSA3171        | WSA9171     |
| 72"        | 36" | 34" | WSA1172       | WSA2172   | WSA3172        | WSA9172     |

**NOTE** These models cannot be used in mobile applications.

- 1 top of your choice; \_\_\_\_\_
- 1 back panel; \_\_\_\_\_
- 2-27" D x 32" H legs; \_\_\_\_\_
- 3 shelf, each 12" D; \_\_\_\_\_
- 2 legs crossbars; \_\_\_\_\_
- 1 front finishing panel; \_\_\_\_\_
- 1 back finishing panel; \_\_\_\_\_
- 1 sliding door with L3 lock. \_\_\_\_\_

## Open Double Workbench



WSA2902

| Dimensions |           |     |     | Type of Top   |                |              |             |
|------------|-----------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D         | H   |     | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 8'         | (2 x 48") | 30" | 34" | WSA1902       | <b>WSA2902</b> | WSA3902      | WSA9902     |
| 10'        | (2 x 60") | 30" | 34" | WSA1904       | WSA2904        | WSA3904      | WSA9904     |
| 12'        | (2 x 72") | 30" | 34" | WSA1906       | WSA2906        | WSA3906      | WSA9906     |

**NOTE** These models cannot be used in mobile applications.

- 2 tops of your choice; \_\_\_\_\_
- 3-27" D x 32" H legs; \_\_\_\_\_
- 2 stringers; \_\_\_\_\_
- 4 steel shelves, each 12" D; \_\_\_\_\_
- 1 shelf adaptor for common leg; \_\_\_\_\_
- 1 stringer extension for common leg. \_\_\_\_\_

## Closed Double Workbench



WSA2971

| Dimensions |           |     |     | Type of Top   |                |              |             |
|------------|-----------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D         | H   |     | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 8'         | (2 x 48") | 30" | 34" | WSA1971       | <b>WSA2971</b> | WSA3971      | WSA9971     |
| 10'        | (2 x 60") | 30" | 34" | WSA1973       | WSA2973        | WSA3973      | WSA9973     |
| 12'        | (2 x 72") | 30" | 34" | WSA1975       | WSA2975        | WSA3975      | WSA9975     |

**NOTE** These models cannot be used in mobile applications.

- 2 tops of your choice; \_\_\_\_\_
- 3-27" D x 32" H legs; \_\_\_\_\_
- 2 side panels and 2 back panels; \_\_\_\_\_
- 4 steel shelves, each 12" D; \_\_\_\_\_
- 1 shelf adaptor for common leg; \_\_\_\_\_
- 2 sets of sliding doors with L3 lock; \_\_\_\_\_
- 2 side extensions for common leg. \_\_\_\_\_

## Workbench with Compact Cabinet



This table can be made mobile.



27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames.

| Dimensions |     |     | Type of Top   |                |              |             |
|------------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 60"        | 30" | 34" | L_1101C       | <b>L_2101C</b> | L_3101C      | L_9101C     |
| 72"        | 30" | 34" | L_1102C       | L_2102C        | L_3102C      | L_9102C     |
| 72"        | 36" | 34" | LH1103C       | LH2103C        | LH3103C      | LH9103C     |

**NOTE**

To order, complete part number according to the following:

- G** for a stationary bench with 21" deep cabinet (for 30" D benches only);
- H** for a stationary bench with 27" deep cabinet (for 30" D and 36" D benches only);
- J** for a mobile bench.

- 1 top of your choice;
  - 1-27" D x 32" H leg;
  - 1 "L" compact cabinet with 4" base;
  - 1 pair of cabinet attachment bars.
- Mobile model (total height 35") includes the following additional accessories:
- 1 base for casters for compact cabinet;
  - 1 pair of caster adaptors for leg;
  - 1 pair of 4" rigid casters;
  - 1 pair of 4" swivel casters with total-lock brake;
  - 1 footrest.
- Note : Cabinet base not included with mobile model.

## Workbench with Two Compact Cabinets



27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames.

| Dimensions |     |     | Type of Top   |                |              |             |
|------------|-----|-----|---------------|----------------|--------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood      | Plastic lam. | Acrylic/PVC |
| 60"        | 30" | 34" | L_1201C       | <b>L_2201C</b> | L_3201C      | L_9201C     |
| 72"        | 30" | 34" | L_1202C       | L_2202C        | L_3202C      | L_9202C     |
| 72"        | 36" | 34" | LH1203C       | LH2203C        | LH3203C      | LH9203C     |

**NOTE**

To order, complete part number according to the following:

- G** for a stationary bench with 21" deep cabinet (for 30" D benches only);
- H** for a stationary bench with 27" deep cabinet (for 30" D and 36" D benches only);

**NOTE** These models cannot be used in mobile applications.

- 1 top of your choice;
- 2 "L" compact cabinets with 4" bases;
- 2 pairs of cabinet attachment bars.

## Workbench with Suspended Compact Cabinet



**NOTE**

Maximum capacity of 50 lbs per drawer in a suspend cabinet application using RA70.

| Dimensions |     |     | Type of Top   |               |              |             |
|------------|-----|-----|---------------|---------------|--------------|-------------|
| W          | D   | H   | Painted steel | Lam. wood     | Plastic lam. | Acrylic/PVC |
| 60"        | 30" | 34" | LG1001        | <b>LG2001</b> | LG3001       | LG9001      |
| 72"        | 30" | 34" | LG1002        | LG2002        | LG3002       | LG9002      |
| 72"        | 36" | 34" | LG1003        | LG2003        | LG3003       | LG9003      |

**NOTE** These models cannot be used in mobile applications.

- 1 top of your choice;
- 2-27" D x 32" H legs;
- 1 stringer;
- 1-21" deep "L" compact cabinet;
- 1 pair of cabinet attachment bars.

## Desk with Compact Cabinet



LG3107



27" deep cabinets are recommended for workstations with multi-purpose frames.

| Dimensions |     |     | Type of Top   |           |               |
|------------|-----|-----|---------------|-----------|---------------|
| W          | D   | H   | Painted steel | Lam. wood | Plastic lam.  |
| 60"        | 30" | 30" | LG1107        | LG2107    | <b>LG3107</b> |
| 72"        | 30" | 30" | LG1108        | LG2108    | LG3108        |
| 72"        | 36" | 30" | LH1109        | LH2109    | LH3109        |

- 1 top of your choice; \_\_\_\_\_
- 1-27" D x 28" H closed leg; \_\_\_\_\_
- 1 "L" compact cabinet of 21" D; \_\_\_\_\_
- 1 pair of cabinet attachment bars. \_\_\_\_\_

**NOTE** These models cannot be used in mobile applications.

## Workbench with Heavy-Duty Cabinets



R5WH5-2007

- 1 laminated wood top \_\_\_\_\_ WS14-6030A
- 1-27" D x 32" H leg \_\_\_\_\_ WS20-2732
- 1 heavy-duty cabinet with partitioning \_\_\_\_\_ R5ACG-3013

| Product #  | W x D x H       |
|------------|-----------------|
| R5WH5-2007 | 60" x 30" x 34" |

**NOTE** This model cannot be used in mobile applications.



R5WL5-2001

- 1 laminated wood top \_\_\_\_\_ WS14-7230A
- 1 heavy-duty cabinet with partitioning \_\_\_\_\_ R5ACG-3013
- 1 heavy-duty cabinet with partitioning \_\_\_\_\_ R5ACG-3015

| Product #  | W x D x H       |
|------------|-----------------|
| R5WL5-2001 | 72" x 30" x 34" |

**NOTE** This model cannot be used in mobile applications.



R5WH4-2001

- 1 laminated wood top \_\_\_\_\_ WS14-6027A
- 1 heavy-duty cabinet with partitioning \_\_\_\_\_ R5ACG-3013
- 1 heavy-duty cabinet with partitioning \_\_\_\_\_ R5ADG-5827
- 1 side bracket for top \_\_\_\_\_ RA73-02

| Product #  | W x D x H       |
|------------|-----------------|
| R5WH4-2001 | 90" x 27" x 60" |

**NOTE** This model cannot be used in mobile applications.

## Basic Electronic Workbench



WSA4073

| Dimensions |     |     | Type of Top    |                   |                 |
|------------|-----|-----|----------------|-------------------|-----------------|
| W          | D   | H   | Laminated wood | Plastic laminated | Dissipative*    |
| 60"        | 30" | 34" | WSA2073        | WSA3073           | <b>WSA4073*</b> |
| 72"        | 30" | 34" | WSA2074        | WSA3074           | WSA4074*        |
| 72"        | 36" | 34" | WSA2075        | WSA3075           | WSA4075*        |

- |                       |   |
|-----------------------|---|
| 1 top of your choice; | 1 pair of risers with electrical outlets on both sides; |
| 2-27" D x 32" H legs; | 1-12" D shelf, same material as top;                    |
| 1 back stop;          | 1 shelf back.   |
| 1 stringer;           |   |

**NOTE** \* Models with dissipative tops come with:  
1 grounding block;  
1 grounding cord and 1 ground wrist strap.

SEE PAGE 122

## Electronic Workbench with Cabinet



LG4104C

| Dimensions |     |     | Type of Top    |                   |                 |
|------------|-----|-----|----------------|-------------------|-----------------|
| W          | D   | H   | Laminated wood | Plastic laminated | Dissipative*    |
| 60"        | 30" | 34" | LG2104C        | LG3104C           | <b>LG4104C*</b> |
| 72"        | 30" | 34" | LG2105C        | LG3105C           | LG4105C*        |
| 72"        | 36" | 34" | LH2106C        | LH3106C           | LH4106C*        |

- |                                     |   |
|-------------------------------------|---|
| 1 top of your choice;               | 1 pair of risers with electric outlets on both sides; |
| 1-27" D x 32" H leg;                | 1-12" D shelf, same material as top;                  |
| 1 "L" compact cabinet with 4" base; | 1 shelf back;   |
| 1 back stop;                        | 1 pair of cabinet attachment bars.                    |

**NOTE** \* Models with dissipative tops come with:  
1 grounding block;  
1 grounding cord and 1 ground wrist strap.

SEE PAGE 122

## Adjustable Workbench



WSA3050

| Dimensions |     |            | Type of Top   |           |                 |               |
|------------|-----|------------|---------------|-----------|-----------------|---------------|
| W          | D   | H          | Painted steel | Lam. wood | Plastic lam.*   | Dissipative** |
| 60"        | 30" | 30" to 42" | WSA1050       | WSA2050   | <b>WSA3050*</b> | WSA4050**     |
| 72"        | 30" | 30" to 42" | WSA1051       | WSA2051   | WSA3051*        | WSA4051**     |
| 72"        | 36" | 30" to 42" | WSA1052       | WSA2052   | WSA3052*        | WSA4052**     |

\* 725 lb capacity.

- |  |                                      |
|--|--------------------------------------|
| 1 top of your choice;                      | 12" vertical adjustment (30" - 42"); |
| 2-27" D x 27" H open legs for lift system; | 1-17" high stringer;                 |
| 1 hydraulic lifting system;                | Compatible with WM accessories;      |
| Anti-skid leveling glides;                 | System capacity: 825 lb.             |

**NOTE** These models cannot be used in mobile applications.

**NOTE** \*\* Models with dissipative tops come with:  
1 grounding block;  
1 grounding cord and 1 ground wrist strap.

SEE PAGE 122

## Wall-Mounted Workbench with Wall Cabinet



R5WH5-2010

| Dimensions |     | Type of Top   |                   |                   |
|------------|-----|---------------|-------------------|-------------------|
| W          | D   | Painted steel | Laminated wood    | Plastic laminated |
| 60"        | 30" | R5WH5-1010    | <b>R5WH5-2010</b> | R5WH5-3010        |

- |                       |           |                 |
|-----------------------|-----------|-----------------|
| 1 top of your choice; | 1 shelf   | WS50-6012       |
| 2 legs                | WS95-2428 | 2 wall cabinets |
| 2 leg crossbars       | WS96-24   | R5MDA-3003      |

**NOTE** Leg height is 28" and top thickness is 1 3/4".

## Workstations – Tables and Multi-Purpose Frames

### Basic Workstation

WSC0133

Better organization with the help of Rousseau accessories.



WSC0133

|   |             |
|---|-------------|
| 1 WM single unit frame                            | WM11-2848   |
| 2 tilttable shelves                               | WM20-2812   |
| 2 plastic bin rails                               | WM28-2801   |
| 1 vertical adaptor for electrical and air outlets | WM41-01     |
| 1 power outlet strip                              | 70000505    |
| 6 partial dividers                                | SH52-1206   |
| 5 plastic bins                                    | RG20-040303 |
| 2 open legs                                       | WS20-2732   |
| 1 stringer  | WS22-6005   |
| 1 painted steel top                               | WS10-6030   |

| Product # | W x D x H       |
|-----------|-----------------|
| WSC0133   | 60" x 30" x 80" |

### Packaging Station

WSM0006

All the right accessories for a packaging station, with a spool support under the table.



WSM0006

|   |            |
|---|------------|
| 2 multi-purpose uprights                          | WM10-48    |
| 2 steel shelves                                   | WS50-6012  |
| 2 structural shelf supports                       | WM27-1201  |
| 6 sliding dividers                                | WS87-1210  |
| 1 vertical adaptor for electrical and air outlets | WM41-01    |
| 1 power strip                                     | 70000505   |
| 1 document holder with arm                        | WM70-01    |
| 2 open legs                                       | WS20-2732  |
| 1 stringer  | WS22-6005  |
| 1 laminated wood top                              | WS14-6030A |

|                                     |         |
|-------------------------------------|---------|
| 1 paper and cardboard spool support | WS86-60 |
| 2 leg crossbars                     | WS24-27 |

| Product # | W x D x H       |
|-----------|-----------------|
| WSM0006   | 60" x 30" x 80" |


**SOLD SEPARATELY**

|   |         |              |
|---|---------|--------------|
| Packaging shear cutter  | WM87-01 | SEE PAGE 110 |
|  |         |              |

### End-of-Aisle Workstation

WSM0017

Perfect for consulting information close to stored materials.



WSM0017

|   |            |
|---|------------|
| 2 closed legs   | WS25-2732  |
| 1 laminated wood top  | WS14-3630A |
| 1 WS90-01 sliding keyboard tray or WS90-02 adjustable keyboard tray (except on WSM0018 model without keyboard tray) |            |
| 1 single unit frame   | WM11-2848  |
| 2 tilttable shelves   | WM20-2812  |
| 6 partial dividers  | SH52-1206  |
| 1 power strip   | 7000505    |
| 1 vertical adaptor for electrical and outlets   | WM41-01    |
| 1 document holder with arm  | WM70-01    |
| 1 tackboard / marker panel  | WM54-2424  |
| 1 panel bracket kit   | WM50-01    |

| Product # | Type of Keyboard Tray   | W x D x H       |
|-----------|-------------------------|-----------------|
| WSM0016   | WS90-01 sliding tray    | 36" x 30" x 80" |
| WSM0017   | WS90-02 adjustable tray | 36" x 30" x 80" |
| WSM0018   | Model without tray      | 36" x 30" x 80" |

**SOLD SEPARATELY**

|   |           |              |
|---|-----------|--------------|
| Footrest  | WS27-2012 | SEE PAGE 108 |
|  |           |              |

**IMPORTANT** An ergonomic chair and footrest are recommended for this type of workstation.

## Electronic Workstation

LC3002C



LC3002C

Protects sensitive electronic equipment.

|  |               |
|--|---------------|
| 1 WM unit frame                                  | WM11-5648     |
| 2 tiltable shelves                               | WM20-2812     |
| 2 plastic bin rails                              | WM28-2801     |
| 1 power outlet channel                           | WM40-281001   |
| 1 monitor tray with arm                          | WM62-01A      |
| 1 tiltable pan                                   | WM22-2820     |
| 1 storage cabinet with door                      | WM75-281516L3 |
| 1 pair of cantilever overhead supports           | WM18-26       |
| 1 overhead workstation light                     | WM45-48T8-56  |
| 7 partial dividers<br>(4 inside storage cabinet) | SH52-1206     |

|  |             |
|--|-------------|
| 5 plastic bins                         | RG20-040303 |
| 1 fluorescent work lamp with magnifier | 70000635    |
| 1 adaptor for lamp or light-duty arm   | WM68-01     |
| 1 open leg                             | WS20-2732   |
| 1 compact cabinet «L» with 4" base     | L3ABD-2808C |
| 1 pair of cabinet attachment bars      | RA70-21     |
| 1 dissipative top                      | WS17-6030A  |
| 1 grounding block                      | 70000350    |
| 1 ground wrist strap                   | 70000320    |

| Product # | W x D x H       |
|-----------|-----------------|
| LC3002C   | 60" x 30" x 80" |

## Quality Control Workstation

LC3003C



LC3003C

Our proposal to enhance quality control and inspection tasks.

|  |              |
|--|--------------|
| 1 single WM unit frame                 | WM11-2848    |
| 1 tiltable shelf                       | WM20-2812    |
| 1 overhead workstation light           | WM45-48T8-28 |
| 1 pair of cantilever overhead supports | WM18-26      |
| 1 power outlet channel                 | WM40-281001  |
| 1 LCD monitor and keyboard holder      | WM65-02B     |
| 1 tackboard / marker panel             | WM54-2424    |
| 1 panel bracket kit                    | WM50-01      |

|                                    |             |
|------------------------------------|-------------|
| 3 partial dividers                 | SH52-1206   |
| 1 open leg                         | WS20-2732   |
| 1 compact cabinet «L» with 4" base | L3ABD-2808C |
| 1 pair of cabinet attachment bars  | RA70-21     |
| 1 plastic laminate top             | WS16-6030A  |

| Product # | W x D x H       |
|-----------|-----------------|
| LC3003C   | 60" x 30" x 80" |

## Assembly Workstation

LC3001



LC3001

Designed to promote efficient assembly work.

|   |              |
|---|--------------|
| 1 double WM unit frame                            | WM11-5648    |
| 2 plastic bin rails                               | WM28-2801    |
| 1 vertical adaptor for electrical and air outlets | WM41-01      |
| 1 power outlet strip                              | 70000505     |
| 1 document holder with arm                        | WM70-01      |
| 1 perforated panel                                | WM53-2436    |
| 2 panel bracket kits                              | WM50-01      |
| 1 tackboard / marker panel                        | WM54-2424    |
| 1 overhead workstation light                      | WM45-48T8-56 |
| 1 tool rail                                       | WM47-6001    |
| 1 pair of cantilever overhead supports            | WM18-26      |
| 1 balancer trolley                                | WM48-01      |

|                                       |             |
|---------------------------------------|-------------|
| 1 tool balancer                       | WM49-01     |
| 5 plastic bins                        | RG20-040303 |
| 1 pack of 10 double back single hooks | WM98-03     |
| 2 open legs                           | WS20-2732   |
| 1 drawer unit                         | LD75-182109 |
| 2 compact drawers of 3"               | LF31-182103 |
| 1 plastic laminate top                | WS16-6030A  |
| 1 stringer                            | WS22-6005   |

| Product # | W x D x H       |
|-----------|-----------------|
| LC3001    | 60" x 30" x 80" |

## Basic Workstation with "R" Heavy-Duty Cabinet

R5WH5-2005



R5WH5-2005

Both bulky and high density storage in one workstation.

|   |            |
|---|------------|
| 1 heavy-duty cabinet with partitioning          | R5ACG-3013 |
| 1 open leg                                      | WS20-2732  |
| 1 laminated wood top                            | WS14-6030A |
| 2 storage cabinets with double integrated doors | R5MDA-3003 |
| 2 WM brackets for storage cabinet               | RD08-28    |
| 1 double WM unit frame                          | WM11-5648  |

| Product #  | W x D x H       |
|------------|-----------------|
| R5WH5-2005 | 60" x 30" x 80" |

## Assembly Workstation with "R" Heavy-Duty Cabinet

R5WH5-2003



R5WH5-2003

Access your parts and tools faster.

|   |             |
|---|-------------|
| 1 heavy-duty cabinet with partitioning            | R5ACG-3013  |
| 1 laminated wood top                              | WS14-6030A  |
| 1 open leg  | WS20-2732   |
| 1 double WM unit frame                            | WM11-5648   |
| 1 tiltable shelf                                  | WM20-2812   |
| 2 partial dividers                                | SH52-1206   |
| 1 vertical adaptor for electrical and air outlets | WM41-01     |
| 1 power outlet strip                              | 70000505    |
| 1 steel shelf                                     | WS50-6012   |
| 1 pair of structural shelf supports               | WM27-1201   |
| 1 privacy panel                                   | WM52-2436   |
| 1 panel bracket kit                               | WM50-01     |
| 1 louvered panel                                  | WM55-2836   |
| 2 plastic bins                                    | RG20-060603 |
| 5 plastic bins                                    | RG20-060602 |

| Product #  | W x D x H       |
|------------|-----------------|
| R5WH5-2003 | 60" x 30" x 80" |

## Maintenance Workstation with "R" Heavy-Duty Cabinets

R5WL5-2003



R5WL5-2003

Designed to centralize all of the materials needed for your activities.

|  |              |                                   |               |
|--|--------------|-----------------------------------|---------------|
| 1 heavy-duty cabinet with partitioning | R5ACG-3013   | 1 tool support                    | WM30-01       |
| 1 heavy-duty cabinet with partitioning | R5ACG-3015   | 4 plastic bins                    | RG20-060603   |
| 1 laminated wood top                   | WS14-7230A   | 1 power outlet channel            | WM40-281001   |
| 2 steel shelves                        | WS50-2412    | 1 tiltable pan                    | WM22-2820     |
| 2 adaptors for WS50 shelf              | RC15-24      | 2 tiltable shelves                | WM20-2812     |
| 1 double WM unit frame                 | WM11-5648    | 4 partial dividers                | SH52-1206     |
| 1 pair of cantilever overhead supports | WM18-26      | 2 storage cabinets with door      | WM75-281516L3 |
| 1 overhead workstation light           | WM45-48T8-56 | 1 document holder with arm        | WM70-01       |
| 1 tool rail                            | WM47-6001    | 1 LCD monitor and keyboard holder | WM65-02B      |
| 1 balancer trolley                     | WM48-01      |                                   |               |
| 1 tool balancer                        | WM49-01      |                                   |               |
| 2 plastic bin rails                    | WM28-2801    |                                   |               |

| Product #  | W x D x H       |
|------------|-----------------|
| R5WL5-2003 | 72" x 30" x 80" |

# Components - Work Surfaces

## Work Surfaces

WORK CENTER

### Painted Steel Top

**WS10**



Top for industrial, maintenance, repair or assembly applications;  
 Thickness : 1 3/4";  
 2 steel crossbars for attaching legs;  
 3 wood crossbars (2" x 4") for attaching cabinets and other accessories;  
 May be reinforced or soundproofed with a WS75 wood filler;  
 Excellent impact resistance;  
 Powder paint.

### Stainless Steel Top

**WS12**



Top for industrial, maintenance, repair or assembly applications or when solvents, oils or other chemical products are being used;  
 Thickness : 1 3/4". 12 gauge steel;  
 Brushed finish #4, attractive appearance;  
 2 steel crossbars for attaching legs;  
 3 wood crossbars (2" x 4") for attaching cabinets and other accessories;  
 May be reinforced or soundproofed by adding a WS75 wood filler;  
 Excellent corrosion resistance;  
 Excellent chemical resistance (can be in prolonged contact with a substance);  
 Note : The RC35 top is also compatible with the fixed workstations (not recommended for mobile applications), see page 11.

### Laminated Wood Top

**WS14**



Top for general industrial applications;  
 Thickness : 1 3/4";  
 Made with varnished hardwood slats;  
 90° radius front edge for more comfort;  
 Good impact resistance;  
 Attractive appearance.

### Resistant Acrylic / PVC Plastic Laminated Top

**WS08**



Ideal for assembly stations or for applications using solvents, oils or other chemical products;  
 Thickness : 1 1/2";  
 Color : Gray;  
 Core made of particle board;  
 Finish : sheet of gray polymer;  
 Deluxe quality laminated top;  
 Excellent chemical product resistance (can be in prolonged contact with a substance);  
 Superior abrasion resistance compared to standard laminated top;  
 Superior impact resistance compared to standard laminated top;  
 Attractive appearance.

### Plastic Laminated Top

**WS16**



Top for general applications. Ideal for assembly, quality control and packaging applications;  
 Thickness : 1 1/2";  
 Color : White;  
 Attractive appearance;  
 Easy to clean;  
 90° radius front edge for more comfort.

### Dissipative Top

**WS17**



Top for electronics applications. Ideal for assembly or electronics inspection stations;  
 Thickness : 1 1/2";  
 Color : White;  
 Attractive appearance;  
 Easy to clean;  
 90° radius front for more comfort;  
 Dissipates electric charges that can damage electronic components;  
 Resistance point to point and point to ground between 10<sup>9</sup> and 10<sup>9</sup> Ω.

**NOTE** Please refer to W54 tech sheet for capacity according to configuration. Available on Multi Tool CD.

**NOTE** The 21" deep cabinets are compatible with the 24" WS10/12 tops.  
 The 21" deep cabinets are not compatible with the 30" and 36" WS10/12 tops.  
 The 27" deep cabinets are compatible with the 30" and 36" WS10/12 tops.


| Dimensions |     | Type of Top                   |               |                 |                |                   |             |
|------------|-----|-------------------------------|---------------|-----------------|----------------|-------------------|-------------|
| W          | D   | Acrylic/PVC Plastic Laminated | Painted Steel | Stainless Steel | Laminated Wood | Plastic Laminated | Dissipative |
| 36"        | 24" |                               |               |                 | WS14-3624A     | WS16-3624A*       |             |
|            | 30" |                               |               |                 | WS14-3630A     | WS16-3630A*       |             |
| 48"        | 24" | WS08-4824A*                   | WS10-4824     | WS12-4824 *     | WS14-4824A     | WS16-4824A*       | WS17-4824A* |
|            | 30" | WS08-4830A*                   | WS10-4830     | WS12-4830 *     | WS14-4830A     | WS16-4830A        | WS17-4830A* |
|            | 36" | WS08-4836A*                   | WS10-4836     | WS12-4836 *     | WS14-4836A*    | WS16-4836A*       | WS17-4836A* |
| 60"        | 24" | WS08-6024A*                   | WS10-6024     | WS12-6024 *     | WS14-6024A     | WS16-6024A        | WS17-6024A* |
|            | 30" | WS08-6030A                    | WS10-6030     | WS12-6030 *     | WS14-6030A     | WS16-6030A        | WS17-6030A  |
|            | 36" | WS08-6036A*                   | WS10-6036     | WS12-6036 *     | WS14-6036A     | WS16-6036A        | WS17-6036A* |
| 72"        | 24" | WS08-7224A                    | WS10-7224     | WS12-7224 *     | WS14-7224A     | WS16-7224A        | WS17-7224A* |
|            | 30" | WS08-7230A                    | WS10-7230     | WS12-7230 *     | WS14-7230A     | WS16-7230A        | WS17-7230A  |
|            | 36" | WS08-7236A                    | WS10-7236     | WS12-7236 *     | WS14-7236A     | WS16-7236A        | WS17-7236A  |

**NOTE** \*Please check with your customer service representative for lead time.

# Components - Work Surfaces

## Steel Top Crossbar

WS11 / WS13




Painted steel : WS11;  
Stainless steel : WS13;  
May be attached to center of steel top (WS10 or WS12) for reinforcement;  
To order, complete the part # with steel choice needed. Ex.: WS11-24.

| Product # | W x D    |
|-----------|----------|
| WS_-24    | 6" x 24" |
| WS_-30    | 6" x 30" |
| WS_-36    | 6" x 36" |

## Wood Filler for Steel Top

WS75




Made from wooden crossbars;  
Inserted into WS10 and WS12 steel tops for soundproofing;  
Increases solidity of steel tops;  
Allows attachment of accessories beneath the work surface;  
Depths available : 24", 30" and 36";  
To order, complete the part # with depth wanted.

| Product # | Width |
|-----------|-------|
| WS75-48   | 48"   |
| WS75-60   | 60"   |
| WS75-72   | 72"   |

## Wood Crossbar for Steel Top

WS76




Allows attachment of cabinets, hanging cabinets and drawer units. Also used to secure back panels beneath the steel top;  
Depths available : 24", 30" and 36";  
To order, complete the part # with depth wanted;  
Note : 3 crossbars (2" x 4") are included with each WS10 and WS12 steel top.

| Product # | W x H   |
|-----------|---------|
| WS76-0202 | 2" x 2" |
| WS76-0204 | 4" x 2" |
| WS76-0208 | 8" x 2" |



## Laminated Wood Top

SR90




Designed to be installed between two shelving units;  
A pair of SH74-24 top supports must be ordered for installation.

| Product #  | W x D     |
|------------|-----------|
| SR90-6024A | 60" x 24" |
| SR90-7224A | 72" x 24" |

## Back and Side Stops

WS18 / WS98




Painted steel : WS18;  
Stainless steel : WS98;  
Can be attached to back or sides according to top dimensions;  
May be installed on all types of tops;  
Height : 5". Clear top by approx. 3/4";  
To order, complete the part # with steel choice needed. Ex.: WS\_-2405.

| Product # | Length |
|-----------|--------|
| WS_-2405  | 24"    |
| WS_-3005  | 30"    |
| WS_-3605  | 36"    |
| WS_-4805  | 48"    |
| WS_-6005  | 60"    |
| WS_-7205  | 72"    |

## Sliding Keyboard Tray

WS90-01




May be mounted on all surfaces;  
Mouse tray slides to the left or right side, as needed;  
Usable area : 8 1/2" x 20 1/2";  
Mouse tray : 9 3/8" x 9 1/8";  
Takes 22" W under the surface.

| Product # | Color |
|-----------|-------|
| WS90-01   | Black |

## Adjustable Keyboard Tray

WS90-02



Support with articulating arm designed for use in the sit/stand position;  
May be mounted on all surfaces;  
Includes:  
- mouse tray, slides to the left or right side, as needed  
- ergonomic palm rest  
Slides under the work surface for storage. Sturdy construction;  
Usable area : 9 1/2" x 20 1/2";  
Mouse tray : 9 3/8" x 9".  
Takes 30" W under the surface.

| Product # | Color |
|-----------|-------|
| WS90-02   | Black |

## CPU Support

WS92




May be mounted on all surfaces;  
Handle allows width of plastic side support to be adjusted;  
Adjustments accommodate computers with dimensions of 3 1/2" to 9 1/4" width by 12 1/2" to 22 1/2" height;  
Width : 8 3/8" to 11 1/2";  
Depth : 6 3/4" (8 1/2" with handle);  
Height : 18" to 26".

| Product # | Color |
|-----------|-------|
| WS92-01   | Black |

## Top Supports

SH74



Sold in pairs;  
Designed to support a SR90 laminated wood top between two shelving units;  
Easy hook assembly.

| Product # | Depth |
|-----------|-------|
| SH74-24   | 24"   |



# Components – Structure Under the Work Surface

## Structural Components

WORK CENTER

### Open Leg

**WS20**





Three basic heights : 28", 32" and 34";  
 WS21 leg extensions can be added according to need;  
 "Inversed" hat shaped top for added strength;  
 Equipped with knockouts to allow installation of electrical outlets;  
 A second leg crossbar, WS24, can be added to permit installation of WS50 shelves;  
 Can be closed with a WS62 side panel.

| Product # | D x H     | Surface Depth |
|-----------|-----------|---------------|
| WS20-2128 | 21" x 28" | 24" and 30"   |
| WS20-2132 | 21" x 32" | 24" and 30"   |
| WS20-2134 | 21" x 34" | 24" and 30"   |
| WS20-2728 | 27" x 28" | 30" and 36"   |
| WS20-2732 | 27" x 32" | 30" and 36"   |
| WS20-2734 | 27" x 34" | 30" and 36"   |

### Closed Leg

**WS25**




For office applications where appearance is important;  
 Three basic heights : 28", 32" and 34";  
 "Inversed hat" shaped top for added strength;  
 One closed side. The face and exterior side have no holes; accessory fixing zones on inner face;  
 A second leg crossbar, WS24, may be added to permit installation of WS50 shelves;  
 Compatible with the levelling glides (WS26);  
 Not compatible with the leg extensions (WS21).

| Product # | D x H     | Surface Depth |
|-----------|-----------|---------------|
| WS25-2128 | 21" x 28" | 24" and 30"   |
| WS25-2132 | 21" x 32" | 24" and 30"   |
| WS25-2134 | 21" x 34" | 24" and 30"   |
| WS25-2728 | 27" x 28" | 30" and 36"   |
| WS25-2732 | 27" x 32" | 30" and 36"   |
| WS25-2734 | 27" x 34" | 30" and 36"   |

### Leg Extensions / Caster Adaptors

**WS21**




For open legs only;  
 Sold in pairs;  
 Three heights : 3", 6" and 9";  
 The 6" and 9" extensions adjust leg height;  
 Casters may be installed with 3" and 6" extensions; the 9" extensions must not be used with casters.

| Product # | Height | Possible Adjustment | Type of Caster |
|-----------|--------|---------------------|----------------|
| WS21-0306 | 3"     | —                   | 4" or 6"       |
| WS21-0606 | 6"     | To 3"               | 4" or 6"       |
| WS21-0904 | 9"     | To 6"               | Not compatible |

### Leg Crossbar

**WS24**




Allows addition of a second shelf level beneath the work surface;  
 May be affixed to a WS20 open leg or WS25 closed leg.

| Product # | Leg Depth |
|-----------|-----------|
| WS24-21   | 21"       |
| WS24-27   | 27"       |

### Ergonomic Footrest

**WS27**




Allows ergonomic adjustment up to 12" in height and a maximum of 30° of inclination;  
 Adjustments can be made easily and simultaneously;  
 Equipped with non-skid feet rubber mat glued to the tray;  
 Fast and simple assembly.

| Product # | W x D x H       |
|-----------|-----------------|
| WS27-2012 | 20" x 12" x 13" |

### Open Wall-Mounted Leg

**WS95**




500 lb capacity per leg; 1000 lb capacity per pair (assuming that wall and wall anchoring are sufficient);  
 Anchoring hardware not provided by Rousseau;  
 Designed for 24", 30" and 36" deep tops;  
 Compatible with all types of tops offered by Rousseau;  
 Compatible with WS18 back stop and WM10 & WM11 multi-purpose uprights;  
 Equipped with electrical outlet knockouts on front of leg;  
 Possible to install WS96 crossbars and 12" deep WS50 shelf (available as an option).

| Product # | D x H              |
|-----------|--------------------|
| WS95-2428 | 22 5/8" x 29 7/16" |

### Crossbar for Wall Leg

**WS96**




Installation of 12" deep WS50 shelf is possible (available as an option);  
 Use with WS95 wall-mounted leg.

| Product # | Depth   |
|-----------|---------|
| WS96-24   | 13 3/4" |

# Components - Structure Under the Work Surface

## Stringer

### WS22



Attaches between the two legs at the rear, to strengthen structure;


Standard widths that fit top surface widths;

May serve as a back for shelves beneath work surface.

| Product # | Width | Surface Width |
|-----------|-------|---------------|
| WS22-4805 | 39"   | 48"           |
| WS22-6005 | 51"   | 60"           |
| WS22-7205 | 63"   | 72"           |

## Adjustable Footrest

### WS23



Adjustable width; can be extended by sliding the two parts;

Required for all mobile workstations;


May be attached to leg crossbars or on the sides of cabinets to strengthen structure.

| Product # | Width Adjustment |
|-----------|------------------|
| WS23-1624 | 16" to 24"       |
| WS23-2440 | 24" to 40"       |
| WS23-4072 | 40" to 72"       |

| Choice of Footrests Depending on Configuration | Top Width |           |           |
|--|-----------|-----------|-----------|
|  | 48"       | 60"       | 72"       |
| 2 legs   | WS23-2440 | WS23-4072 | WS23-4072 |
| 1 leg and 1 "L" compact cabinet                | WS23-2440 | WS23-2440 | WS23-4072 |
| 2 "L" compact cabinets                         | -         | WS23-1624 | WS23-2440 |
| 1 leg and 1 RA30-2427 cabinet                  | -         | WS23-2440 | WS23-4072 |
| 1 leg and 1 RA30-3027 cabinet                  | -         | WS23-2440 | WS23-2440 |
| 1 leg and 1 RA30-3624 cabinet                  | -         | WS23-1624 | WS23-2440 |

## Corner Gussets for Leg

### WS28



Sold in pairs;

Mount under and attach to leg to reinforce structure;




Recommended for mobile workstations with tops constructed with particleboard or plastic laminated panel;

Note : To find out the capacity of a mobile workstation with gussets, please refer to W54 tech sheet or contact your customer service representative.

**Product #**  
WS28-01

## Steel Shelf

### WS50 / WS56



Painted steel : WS50;

Stainless steel : WS56;

Thickness : 1 1/4";

May be installed on leg crossbars or WS24 on shelf supports WM27;

Shelf combinations :  
- 21" deep legs : 1-6" D + 1-12" D shelves  
- 27" deep legs : 2-12" D shelves;

Order by completing the part # with the steel choice.

| Product # | W x D     | Surface Width |
|-----------|-----------|---------------|
| WS_-4806  | 45" x 6"  | 48"           |
| WS_-4812  | 45" x 12" | 48"           |
| WS_-6006  | 57" x 6"  | 60"           |
| WS_-6012  | 57" x 12" | 60"           |
| WS_-7206  | 69" x 6"  | 72"           |
| WS_-7212  | 69" x 12" | 72"           |


SEE PAGES 108, 125



WSA6053

## Shelf Adaptor for Common Leg

### WS78




Must be ordered to install WS50 shelves on a common leg;

Not compatible with the side panels (WS62).

| Product # | Leg Depth |
|-----------|-----------|
| WS78-0321 | 21"       |
| WS78-0327 | 27"       |

## Stringer Extension for Common Leg

### WS79




Must be ordered to install WS22 stringers on a common leg.

**Product #**  
WS79-0305

## Side Extension for Common Leg

### WS64



Required to mount WS60 sliding doors or WS63 back panels to a common leg.


| Product # | Height |
|-----------|--------|
| WS64-0325 | 25"    |

# Components - Structure Under the Work Surface

WORK CENTER

## Sliding Doors

### WS60 / WS61




Sliding doors : WS60;  
 Sliding polycarbonate doors : WS61;  
 Allow user to close and lock the area beneath the work surface (standard lock included);  
 Smooth, quiet movement;  
 Fit workstations with 28", 32" or 34" high legs;  
 Order by specifying the choice of door.  
 Ex.: WS61-4828L3 for 39" W x 24" H sliding polycarbonate doors.

| Product #  | W x H     | Surface Width |
|------------|-----------|---------------|
| WS_-4828L3 | 39" x 24" | 48"           |
| WS_-6028L3 | 51" x 24" | 60"           |
| WS_-7228L3 | 63" x 24" | 72"           |

## Side Panel

### WS62




For installation on open legs;  
 Fits 28", 32" and 34" high legs.

| Product # | D x H     | Leg Depth |
|-----------|-----------|-----------|
| WS62-2128 | 20" x 25" | 21"       |
| WS62-2728 | 26" x 25" | 27"       |

## Back Panel

### WS63



For installation behind WS20 open legs or WS25 closed legs;

Available with:  
 - 48" (1 piece)  
 - 60" and 72" ( 2 pieces)

Fits 28", 32" and 34" high legs.

| Product # | W x H     | Surface Width |
|-----------|-----------|---------------|
| WS63-4828 | 39" x 24" | 48"           |
| WS63-6028 | 51" x 24" | 60"           |
| WS63-7228 | 63" x 24" | 72"           |

## Finishing Panel

### WS65 / WS66




Front finishing panel : WS65;  
 Rear finishing panel : WS66;  
 Allows you to close off the space under a set of sliding doors on both the front and back of the workstation;  
 Three heights available : 4", 8" and 10";  
 Compatible with WS25 closed legs 28", 32" or 34" H;  
 Order by indicating the type of panel and height required.  
 Ex.: WS65-4808 for a front finishing panel 48" W x 8" H.


| Product # | W x H     | Height Closed Legs |
|-----------|-----------|--------------------|
| WS_-4804  | 48" x 4"  | 28"                |
| WS_-4808  | 48" x 8"  | 32"                |
| WS_-4810  | 48" x 10" | 34"                |
| WS_-6004  | 60" x 4"  | 28"                |
| WS_-6008  | 60" x 8"  | 32"                |
| WS_-6010  | 60" x 10" | 34"                |
| WS_-7204  | 72" x 4"  | 28"                |
| WS_-7208  | 72" x 8"  | 32"                |
| WS_-7210  | 72" x 10" | 34"                |

## Paper and Cardboard Spool Support

### WS86




Installs under the work surface on the WS24 leg crossbars (sold separately);  
 Includes two end brackets and one rod;  
 Rod diameter : 1";  
 One person alone may insert the spool by pivoting one end of the rod;  
 Capacity : 75 lb.



| Product # | Width | Color |
|-----------|-------|-------|
| WS86-48   | 48"   | Black |
| WS86-60   | 60"   | Black |
| WS86-72   | 72"   | Black |

## Packaging Shear Cutter

### WM87



Designed for cutting paper and corrugated rolls, plastic, packing foam, bubble wrap, etc. For materials up to 36" wide;

Cuts in both directions.

| Product # | Material Cutting Width | Overall Width |
|-----------|------------------------|---------------|
| WM87-01   | 36"                    | 48"           |

## Floor Anchor Hardware Kit

### WS80




Serves to anchor legs to floor;  
 Includes 4 concrete screws.

| Product # |
|-----------|
| WS80      |

## Leveling Glides

### WS26



Sold in pairs;  
 Serve to adjust the height of legs on uneven floor surfaces from to 1 1/8" to 2";

To use with a "L" compact cabinet, see leveling glide kit LA74.

| Product # |
|-----------|
| WS26      |

SEE PAGE 113

# Components - Structure Under the Work Surface

## "L" Compact and "R" Heavy-Duty Preconfigured Models

Here are some of the most popular cabinets for workstations.

### "L" Compact Cabinets :

27" deep cabinets are required for 36" deep workstations and are recommended with a multi-purpose stand and on 30" deep mobile stations;


Come with RA70 cabinet attachment bars to install and suspend the cabinet under the work surface;

For a 12" drawer : Order LG31 hanging folder bars for letter (8½" x 11") or legal size (8½" x 14") folders;

Can be ordered with or without a central lock (L3). To order a cabinet housing with a central lock, add L3 to product number.

SEE PAGE 114

**IMPORTANT**



Drawer partitions are included in models.

**NOTE**

For drawers without partitioning, complete the even number following the two last digits of the model.

Ex.: L3ABD-2851C with L3ABD-2852C without

**Number of Compartments (layout code)**

| Drawer dimensions | 18" x 21" | 18" x 27" |
|-------------------|-----------|-----------|
| 3" to 5"          | 9 (0206)  | 9 (0206)  |
| 6" and 8"         | 6 (0104)  | 6 (0104)  |
| 12"               | 4 (0102)  | 4 (0102)  |



SEE PAGE 198

### "R" Heavy-Duty Cabinets :

All models include a 2" recessed base and a central cabinet lock;

Come with RA70 cabinet attachment bars to install the cabinet under the work surface;

The 12" drawer is designed to hold file hanging bars. Order RG30 or RG31 file bars.

SEE PAGE 165

**Number of Compartments (layout code)**

| Drawer dimensions | 24" x 21" | 24" x 27" | 30" x 21" | 30" x 27" |
|-------------------|-----------|-----------|-----------|-----------|
| 3" to 5"          | 12 (0308) | 20 (0316) | 24 (0518) | 25 (0420) |
| 6" to 8"          | 9 (0206)  | 12 (0209) | 12 (0308) | 12 (0308) |
| 9" and over       | 4 (0102)  | 6 (0104)  | 6 (0203)  | 9 (0206)  |

### "L" Compact Cabinet 28" High - Without base

|  |  |  |   |  |
|--|--|--|---|--|
|  |  |  |  |  |
| 4"<br>5"<br>5"<br>5"<br>5"   | 3"<br>3"<br>6"<br>12"  | 6"<br>6"<br>12"  | 3"<br>3"<br>4"<br>4"<br>6"  | 5"<br>5"<br>6"<br>8"   |
| 5 drawers  | 4 drawers  | 3 drawers  | 6 drawers   | 4 drawers  |
| L3ABD-2861 18" x 21" x 28"   | L3ABD-2871 18" x 21" x 28"   | L3ABD-2873 18" x 21" x 28"   | L3ABD-2867 18" x 21" x 28"  | L3ABD-2869 18" x 21" x 28"   |
| L3ABG-2861 18" x 27" x 28"   | L3ABG-2871 18" x 27" x 28"   | L3ABG-2873 18" x 27" x 28"   | L3ABG-2867 18" x 27" x 28"  | L3ABG-2869 18" x 27" x 28"   |

### "L" Compact Cabinet 32" High - With 4" base

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| 6"<br>6"<br>6"<br>6"  | 24"   | 6"<br>6"<br>12"   | 12"<br>12"   | 3"<br>3"<br>6"<br>12"   |
| 4 drawers   | 1 door / 1 adjustable shelf   | 3 drawers   | 2 drawers  | 4 drawers   |
| L3ABD-2851_C 18" x 21" x 32"  | L3ABD-2854_C 18" x 21" x 32"  | L3ABD-2855_C 18" x 21" x 32"  | L3ABD-2857_C 18" x 21" x 32"   | L3ABD-2859_C 18" x 21" x 32"  |
| L3ABG-2851_C 18" x 27" x 32"  | L3ABG-2854_C 18" x 27" x 32"  | L3ABG-2855_C 18" x 27" x 32"  | L3ABG-2857_C 18" x 27" x 32"   | L3ABG-2859_C 18" x 27" x 32"  |

### "R" Heavy-Duty Cabinets - With 2" base

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| 4"<br>4"<br>6"<br>12"   | 3"<br>3"<br>4"<br>4"<br>4"<br>8"  | 3"<br>3"<br>6"<br>14"   | 6"<br>6"<br>7"<br>7"   | 4"<br>4"<br>4"<br>6"<br>6"<br>6"<br>6"<br>6"  |
| 4 drawers   | 6 drawers   | 4 drawers   | 4 drawers  | 8 drawers   |
| R5ACD-3013 24" x 21" x 32"  | R5ACD-3017 24" x 21" x 32"  | R5ADD-3015 30" x 21" x 32"  | R5ADD-3017 30" x 21" x 32"   | R5ADD-4409 30" x 21" x 46"  |
| R5ACG-3013 24" x 27" x 32"  | R5ACG-3017 24" x 27" x 32"  | R5ADG-3015 30" x 27" x 32"  | R5ADG-3017 30" x 27" x 32"   | R5ADG-4409 30" x 27" x 46"  |

# Components - Structure Under the Work Surface

## Drawer Units

To order a drawer unit with locks on drawer, complete the part number with L3.



Maximum 100 lb capacity for every drawer in a unit to avoid destabilizing the workstation when opened.

### 6" and 7" High Drawer Unit



|           |                |
|-----------|----------------|
| 1 drawer  |                |
| LD77-3201 | 18" x 21" x 6" |
| LD77-4201 | 18" x 27" x 6" |



|           |                |
|-----------|----------------|
| 1 drawer  |                |
| LD77-3202 | 18" x 21" x 7" |
| LD77-4202 | 18" x 27" x 7" |

### 9" High Drawer Unit



|           |                |
|-----------|----------------|
| 1 drawer  |                |
| LD75-3201 | 18" x 21" x 9" |
| LD75-4201 | 18" x 27" x 9" |



|           |                |
|-----------|----------------|
| 2 drawers |                |
| LD75-3202 | 18" x 21" x 9" |
| LD75-4202 | 18" x 27" x 9" |

### 12" High Drawer Unit



|           |                 |
|-----------|-----------------|
| 2 drawers |                 |
| LD75-3203 | 18" x 21" x 12" |
| LD75-4203 | 18" x 27" x 12" |



|           |                 |
|-----------|-----------------|
| 2 drawers |                 |
| LD75-3204 | 18" x 21" x 12" |
| LD75-4204 | 18" x 27" x 12" |

### 15" High Drawer Unit



|           |                 |
|-----------|-----------------|
| 2 drawers |                 |
| LD75-3206 | 18" x 21" x 15" |
| LD75-4206 | 18" x 27" x 15" |



|           |                 |
|-----------|-----------------|
| 1 drawer  |                 |
| LD75-3207 | 18" x 21" x 15" |
| LD75-4207 | 18" x 27" x 15" |


## "L" Compact Cabinet Components

To order a cabinet or a drawer unit, first select a housing. Then choose doors and/or drawers to correspond with the inside height of the housing.

Now you may also add security, drawer and mobility accessories.

### Drawer Unit Housing

LD75




100 lb capacity for each drawer in the unit for a maximum of 175 lb per unit;  
Compatible with LF31 compact drawer (not included);  
Order by adding drawer unit housing depth, 21" or 27" deep.

| Product #  | Inside dim. |
|------------|-------------|
| LD75-18_09 | 6"          |
| LD75-18_12 | 9"          |
| LD75-18_15 | 12"         |

### "L" Compact Cabinet Housing


LA30



Create a customized work space with a wide range of possibilities;  
Drawers, shelves and doors can be installed in the housing;  
Housing is equipped with knock-outs on the top for stacking a drawer unit LD75 or another cabinet. In the laer case, order the stacking kit LA78;  
2" base, in painted steel or in stainless steel, can be added to make cabinet heights of 26", 30", 32", 36" and 42";  
4" base, in painted steel or in stainless steel, can be added to make cabinet heights of 28", 32", 34", 38" and 44";  
Lock on the housing allows user to secure all drawers at the same time, complete the product number with L3;  
To order hasp for padlock, complete the product number with LP.

### Drawer Unit Cover

LD76



Used to cover the top of the LD75 drawer unit when installed on the work surface;  
Note : Not compatible with LD77 drawer unit.

| Product # | W x D     |
|-----------|-----------|
| LD76-1821 | 18" x 21" |
| LD76-1827 | 18" x 27" |

| Product #   | W x D x H       | Product #   | W x D x H       |
|-------------|-----------------|-------------|-----------------|
| LA30-182124 | 18" x 21" x 24" | LA30-182724 | 18" x 27" x 24" |
| LA30-182128 | 18" x 21" x 28" | LA30-182728 | 18" x 27" x 28" |
| LA30-182130 | 18" x 21" x 30" | LA30-182730 | 18" x 27" x 30" |
| LA30-182134 | 18" x 21" x 34" | LA30-182734 | 18" x 27" x 34" |
| LA30-182140 | 18" x 21" x 40" | LA30-182740 | 18" x 27" x 40" |




27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames and are mandatory for all workstations with a 36" deep top.

# Components - Structure Under the Work Surface

## "L" Compact Drawer

LF31



100 lb capacity, 100% extension;  
Wide range of accessories available to adapt to your storage needs;  
Precision ball bearing drawer slides included;  
Easy hook-on assembly;  
For drawer layout proposals;

SEE PAGES 24-25

Available drawer heights : 3", 4", 5", 6", 8" and 12";

For a 12" drawer : Order LG31 hanging folder bars for letter (8½" x 11") or legal size (8½" x 14") folders;

Order by adding the drawer height to the drawer number. Ex.: LF31-182106;

For a drawer lock, order by adding L3 to drawer number. The mechanism covered by a galvanized box requires 3" W x 1" D inside the drawer. Ex.: LF31-182704L3;


For a lock-in mechanism, order by adding B to the drawer number. Ex.: LF31-182103B.

| Product # | W x D     | Inside dim. |
|-----------|-----------|-------------|
| LF31-1821 | 18" x 21" | 15" x 18"   |
| LF31-1827 | 18" x 27" | 15" x 24"   |



## Integrated Door

LB30




7 standard heights;  
Handle fitted in plastic. Color : Black;  
Door are factory installed with hinges on the left side.  
May be installed on the right side, upon request;  
Shelf LB24 must be ordered as storage surface for doors installed above a drawer or another door;  
For central locking mechanism, complete the product number with L3;  
For hasp for padlock, complete the product number with LP.

| Product # | W X H     |
|-----------|-----------|
| LB30-1812 | 18" x 12" |
| LB30-1818 | 18" x 18" |
| LB30-1820 | 18" x 20" |
| LB30-1824 | 18" x 24" |

| Product # | W X H     |
|-----------|-----------|
| LB30-1826 | 18" x 26" |
| LB30-1830 | 18" x 30" |
| LB30-1836 | 18" x 36" |

## Adjustable Shelf

LB24




For storing larger, bulkier items;  
Equipped with edges along sides and back;  
Adjustable in height every 1" c/c;  
Capacity up to 100 lb evenly distributed load;  
2 versions of the adjustable shelf are possible depending on if the housing is equipped with a central locking mechanism;  
Made in galvanized steel;  
Order by adding the housing depth , 21" or 27" deep.

| Product #  | For LA30                     |
|------------|------------------------------|
| LB24-18_01 | with L3/LP on the housing    |
| LB24-18_02 | without L3/LP on the housing |

## Cabinet Base

LA85 / LA86




Painted steel : LA85;  
Stainless steel : LA86;  
Available heights : 2" and 4";  
2" recessed clearance;  
Compatible with LA74 leveling glide kit;  
Note : Not compatible with floor anchoring kit (LA76), stacking kit (LA78) and casters;  
Order by specifying the type of steel finish.  
Ex.: LA86-182704 for a base in stainless steel of 18" W x 27" D x 4" H.

| Product #  | W x D x H      |
|------------|----------------|
| LA_-182102 | 18" x 21" x 2" |
| LA_-182104 | 18" x 21" x 4" |
| LA_-182702 | 18" x 27" x 2" |
| LA_-182704 | 18" x 27" x 4" |

## Leveling Glide Kit

LA74




Used to stabilize a cabinet installed on an uneven surface of 1 ⅛" to 2";  
Can be installed under cabinets with or without bases;  
Includes : 2 supports and 4 leveling glides.

| Product # | Width |
|-----------|-------|
| LA74-1801 | 18"   |

## Floor Anchoring Kit

LA76



Used to anchor a cabinet (without base) to the floor;  
Includes 1 bolt for concrete floors.

| Product # | Width |
|-----------|-------|
| LA76-1801 | 18"   |

Top view

# Components - Structure Under the Work Surface

## Security Accessories

### Drawer Lock



2 keys provided with each lock;  
Compatible with all drawer dimensions;  
The mechanism (covered by a galvanized box) requires 3" W x 1" D inside the drawer;  
Order by adding L3 to drawer or partitioning proposal number.  
Ex.: LF31-182106L3;

For replacement parts or to retrofit this mechanism, order HA51-L3;

Note : A security panel LF91 must be ordered to block access between two drawers if managing two different users.

#### Product #

L3



### Door Lock



2 keys provided with each lock;  
To order a lock, complete the door number by L3.  
Ex.: LB30-1812L3;

To order a safety hasp, complete the door number by LP.  
Ex.: LB30-1812LP;

For replacement parts or to retrofit this mechanism, order HA49-L3 or HA49-LP;

Note : A security panel LF91 must be ordered to block access between two doors if managing two different users.

#### Product #

|    |             |
|----|-------------|
| L3 | Lock        |
| LP | Safety Hasp |



### Central Locking Mechanism



Allows user to lock all drawers in the cabinet at the same time;  
Easy to retrofit;  
Possible to change drawer layout without touching locking mechanism;

To order a lock, complete the product housing number or the proposal cabinet number by L3. Ex.: LA30-182134L3;

To order a safety hasp for padlock, complete the housing number with LP. Ex.: LA30-182134LP;

For replacement parts or to retrofit this mechanism, order LB00.

#### Product #

|    |             |
|----|-------------|
| L3 | Lock        |
| LP | Safety hasp |



### Lock-In Mechanism



Activated by sliding the mechanism with thumb;

Drawer closes without having to reactivate the slide mechanism;

Stops drawers from opening on their own;

Easy to retrofit;

Order by adding B to the drawer or partitioning number.

Ex.: LF31-182106B;

For replacement parts or to retrofit this mechanism, order LY02.

#### Product #

B

## Drawer and Handle Accessories

### Handle Protector

LF70



Installs on drawer handle by clipping in place;  
Made of transparent plastic;  
Protects identification labels from dust, grease and dirt;  
Easy to remove;  
Note : Labels available. Order LF71-425075.

#### Product #

LF70-18

### Labels

LF71



Labels designed to be inserted on handles under the handle protector (LF70);  
30 labels per page;  
Print the labels of your choice. A template is available at [www.rousseau-metal.com](http://www.rousseau-metal.com) in the Information Centre section.

#### Product #

LF71-425075

### Foam for Protection

LG41



Protects stored objects;  
Blue foam 1/4" thick.

#### Product # For Drawer

|              |               |
|--------------|---------------|
| LG41-1821-01 | 18" W x 21" D |
| LG41-1827-01 | 18" W x 27" D |

**NOTE** Partitions and dividers may not be installed with this foam.

### PVC Drawer Liner

LG40



Protects stored objects;  
Non-skid surface;  
Can be installed under partitions and dividers;  
Thickness : 3/32".

#### Product # For Drawer

|              |               |
|--------------|---------------|
| LG40-1821-01 | 18" W x 21" D |
| LG40-1827-01 | 18" W x 27" D |

SEE PAGE 27

### Folder Hanging Bars

LG31



For storing hanging folders;  
Can be used for both letter and legal sizes;  
Designed for 12" drawers.

#### Product #

LG31-18

### Foam for Tools

LG42



Oil resistant and non-absorbent;

1 blue foam 1/4" thick;

1 black self-adhesive 1/2" thick foam;

Sold without cut-outs. May be cut using a utility knife.

#### Product # For Drawer

|              |               |
|--------------|---------------|
| LG42-1821-01 | 18" W x 21" D |
| LG42-1827-01 | 18" W x 27" D |

SEE PAGE 199

# Components - Structure Under the Work Surface

## Mobility

### 4" Casters



### LB81

Sold in pairs;  
 Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);  
 Capacity : 420 lb per caster;  
 Total height : 5 1/4";  
 Dark gray polyurethane tread, does not mark floors. Superior industrial quality casters;  
 Requires a LB93 cart or a LB97 base for casters.

| Product # | Type of Caster                      |
|-----------|-------------------------------------|
| LB81-01   | Rigid                               |
| LB81-02   | Swivel                              |
| LB81-03   | Swivel with total-lock brake system |

### 6" Casters




### LB84

Sold in pairs;  
 Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);  
 Capacity : 900 lb per caster;  
 Total height : 7 1/2";  
 Dark gray polyurethane tread, insures silent functioning. Superior industrial quality casters;  
 Requires a LB93 cart or a LB97 base for casters.

| Product # | Type of Caster                      |
|-----------|-------------------------------------|
| LB84-01   | Rigid                               |
| LB84-02   | Swivel                              |
| LB84-03   | Swivel with total-lock brake system |

### Cart for Single Cabinet



### LB93

Used when installing casters on a single cabinet;  
 Installed under cabinets without base;  
 Compatible with 4" and 6" casters (sold separately);  
 Attention : Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

| Product # | W x D     |
|-----------|-----------|
| LB93-1821 | 18" x 21" |
| LB93-1827 | 18" x 27" |

### 6" Mag Casters




### LB85

Sold in pairs  
 Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);  
 Aluminium wheel with durable chrome plating;  
 Capacity : 1000 lb per caster;  
 Total height : 7 1/2";  
 Black high grade polyurethane tread, facilitates movement. Superior industrial quality casters;  
 Requires a LB93 cart or a LB97 base for casters.

| Product # | Type of Caster                      |
|-----------|-------------------------------------|
| LB85-01   | Rigid                               |
| LB85-02   | Swivel                              |
| LB85-03   | Swivel with total-lock brake system |

### Base for Casters




### LB97

Compatible with 4" and 6" casters (sold separately);  
 Used to install casters under double or triple cabinets;  
 Installed under cabinets without base;  
 Note : Sold individually. Order 2 bases for a double cabinet and three bases for a triple cabinet;  
 Attention : Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

| Product # | Depth |
|-----------|-------|
| LB97-21   | 21"   |
| LB97-27   | 27"   |

### Caster Adaptors



### WS21

For open legs only;  
 Sold in pairs;  
 Two heights available : 3" and 6";  
 Used for installing casters on WS20 legs.

| Product # | Height | Type of Caster |
|-----------|--------|----------------|
| WS21-0306 | 3"     | 4" or 6"       |
| WS21-0606 | 6"     | 4" or 6"       |


# Components - Structure Under the Work Surface

## Heavy-Duty Cabinet Components

WORK CENTER

### Heavy-Duty Cabinet Housing

**RA30**




Install modular drawers, roll-out shelves, adjustable and bottom shelves;  
To order a standard lock, complete the product number with L3.

| Product #        | Inside Height | Total Height |
|------------------|---------------|--------------|
| <b>24" x 21"</b> |               |              |
| RA30-242128      | 24"           | 28"          |
| RA30-242130      | 26"           | 30"          |
| RA30-242134      | 30"           | 34"          |
| RA30-242138      | 34"           | 38"          |
| <b>24" x 27"</b> |               |              |
| RA30-242728      | 24"           | 28"          |
| RA30-242730      | 26"           | 30"          |
| RA30-242734      | 30"           | 34"          |
| RA30-242738      | 34"           | 38"          |

| Product #        | Inside Height | Total Height |
|------------------|---------------|--------------|
| <b>30" x 21"</b> |               |              |
| RA30-302128      | 24"           | 28"          |
| RA30-302130      | 26"           | 30"          |
| RA30-302134      | 30"           | 34"          |
| RA30-302138      | 34"           | 38"          |
| RA30-302144      | 40"           | 44"          |
| RA30-302158      | 54"           | 58"          |
| <b>30" x 27"</b> |               |              |
| RA30-302728      | 24"           | 28"          |
| RA30-302730      | 26"           | 30"          |
| RA30-302734      | 30"           | 34"          |
| RA30-302738      | 34"           | 38"          |
| RA30-302744      | 40"           | 44"          |
| RA30-302758      | 54"           | 58"          |

### Side Brackets for Top

**RA73**




Capacity of 500 lb per pair or 1000 lb for 4;  
Compatible with all cabinet depths;  
Compatible with all types of work tops;  
Galvanized steel.

| Product # |         |
|-----------|---------|
| RA73-02   | 1 pair  |
| RA73-04   | 2 pairs |



### Bottom Shelf

**RB23 / RB25**




For storing bulky items;  
Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;  
Up to 400 lb capacity of evenly distributed load;  
SH52 dividers can be installed;  
Note : For compatibility with double integrated doors, order an adjustable shelf.

| Product # | W x D     | Capacity |
|-----------|-----------|----------|
| RB23-2421 | 24" x 21" | 200 lb   |
| RB23-2427 | 24" x 27" | 200 lb   |
| RB25-3021 | 30" x 21" | 400 lb   |
| RB25-3027 | 30" x 27" | 400 lb   |

### Adjustable Shelf

**RB22 / RB24**




For storing bulky items;  
Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;  
Adjustable every 1" c/c;  
Up to 400 lb capacity of evenly distributed load;  
SH52 dividers can be installed.

| Product # | W x D     | Capacity |
|-----------|-----------|----------|
| RB22-2421 | 24" x 21" | 200 lb   |
| RB22-2427 | 24" x 27" | 200 lb   |
| RB24-3021 | 30" x 21" | 400 lb   |
| RB24-3027 | 30" x 27" | 400 lb   |

### Adaptor for WS50 Shelf

**RC15**



Allows for installation of a WS50 shelf between 2 RA30 or 2 LA30 cabinets, between a RA30 cabinet and a WS20 leg or between a LA30 cabinet and a WS20 leg;  
Attached in the holes on side of cabinet (knockouts provided).

| Product # | Depth                                |
|-----------|--------------------------------------|
| RC15-12   | 12" (1-12" D shelf or 2-6" D)        |
| RC15-18   | 18" (1-12" D shelf+1-6" D or 3-6" D) |
| RC15-24   | 24" (2-12" D shelves or 4-6" D)      |



### Cabinet Attachment Bars

**RA70**




Sold in pairs;  
Designed to attach the cabinet under the work surface without having to remove the drawers;  
Required to attach a 21" D cabinet to a 30" D WS10/WS12 top or a 27" D cabinet to a 36" D WS10/WS12 top.  
Note : Absolutely required with Steel top WS10/12 when the cabinet is installed at 1 1/2" from the side of the workstation.

| Product # | For Cabinet |
|-----------|-------------|
| RA70-21   | 21" D       |
| RA70-27   | 27" D       |

### Partial Divider

**PATENTED**

**SH52**



Unique patented design that makes spacing changes easier;  
Height : 5 1/2";  
Attach easily : no screws required.

| Product # | True Depth | For Shelves |
|-----------|------------|-------------|
| SH52-1806 | 13 1/8"    | 21" D       |
| SH52-2406 | 19 1/8"    | 27" D       |

Pictograms to facilitate installation