

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



1. Identification

1.1. Product identifier

Product Identity Aladdin 6100

Alternate Names Aladdin 6100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Metalworking Coolant Concentrate

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Gates Engineered Lubricants
18906 East Industrial Parkway
New Caney, TX 77357

Emergency

24 hour Emergency Telephone No. 1-888-255-3924 ChemTel Inc. (Contract Code: MIS4169662)

Customer Service: Gates Engineered Lubricants (281) 528-4096

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Eye Irrit. 2;H319 May cause serious eye irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Warning

H319 May cause serious eye irritation.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P363 Wash contaminated clothing before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Triethanolamine CAS Number: 0000102-71-6	10 - 25	Eye Irrit. 2;H319	[1]
Non Classifiable Mixture CAS Number: Proprietary	1 - 5	Not Classified	

Non Classifiable mixture CAS Number: Proprietary	1-3	Not Classified	[1]
---	-----	----------------	-----

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes Remove any eyewear, i.e. contacts or safety glasses, and flush with clear water for at least 15 minutes or until any irritation subsides. If irritation persists, seek medical attention.

Skin Remove contaminated clothing and wash before reuse. Wipe excess material from skin. Wash exposed area with soap and water.

Ingestion Give plenty of water or other mild drinkable fluids and call a physician immediately. Do not induce vomiting without express consent of medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Overview

Acute Effects of Exposure

Eyes: Not expected to cause prolonged or significant eye irritation.

Skin: Prolonged or repeated contact may cause dermatitis. Wash with plenty of soap and water.

Respiratory: Harmful concentrations of mists/vapors are unlikely through customary handling or use of this product. May cause nose, throat or lung irritation.

See section 2 for further details.

Eyes

Causes serious eye irritation.

Skin

May cause an allergic skin reaction. Causes mild skin irritation. (Not adopted by US OSHA)

5. Fire-fighting measures

5.1. Extinguishing media

Use CO₂, dry chemical, foam and water fog. Water can be used to cool and protect exposed material packaging.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Product does not burn. Do not enter confined area without full protective equipment including a positive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed containers with water.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not flush to sewer! Avoid contact of spilled material with soil and prevent runoff entering surface waterways. See Section 13 for Waste Disposal Information.

7. Handling and storage

7.1. Precautions for safe handling

Pumping Temperature: Ambient

Maximum Handling Temperature: 50 °C, 122 °F

Handling Procedures: Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse.

Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Acids.

This material contains amine. Do not add nitrite or other nitrosating agents due to the potential for nitrosamine formation.

Maximum Storage Temperature: 45 °C, 113 °F

Maximum Loading Temperature: 50 °C, 122 °F

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000102-71-6	Triethanolamine	OSHA	No Established Limit

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



ACGIH	TWA: 5 mg/m ³
NIOSH	No Established Limit
Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000102-71-6	Triethanolamine	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;

8.2. Exposure controls

Respiratory

None required under normal use. If exposure is expected to exceed occupational exposure limits, use a NIOSH-approved respirator to prevent overexposure. In accordance with 29 CFR 1910.134, use either an atmosphere supplying respirator or an air-purifying respirator for organic vapors and particulates.

Eyes

Safety goggles or glasses to prevent splash coming into contact with the eyes.

Skin

Long sleeve shirt is recommended. Wear a chemically protective apron when contact with material may occur. When working with heated material, wear an insulated apron or an insulated chemical protective suit.
Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction. Launder contaminated clothing before reuse.
Wear oil imperious gloves, such as neoprene, nitrile, polyvinylchloride, to minimize skin contact.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Clear Amber Liquid
Odor	Mild
Odor threshold	Not determined
pH	8 - 9 (10% solution in Water)
Melting point / freezing point	Not determined

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



Initial boiling point and boiling range	Not determined
Flash Point	Not applicable
Evaporation rate (Ether = 1)	Not determined
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not available Upper Explosive Limit: Not available
Vapor pressure (Pa)	Not determined
Vapor Density	Not available
Specific Gravity	1.04
Solubility in Water	99%
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity (cSt)	Not available
Fire Point	Will not burn

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable at ambient temperatures.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Acids.

This material contains amine. Do not add nitrite or other nitrosating agents due to the potential for nitrosamine formation.

10.6. Hazardous decomposition products

No hazardous decomposition data available.

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Triethanolamine - (102-71-6)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	3	Causes mild skin irritation. (Not adopted by US OSHA)
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea, mg/l ErC50 alga ^a mg/l	mg/l
Triethanolamine - (102-71-6)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification D2B

U S E P A T i e r I I H a z a r d s F i r e :
N o S u d d e n R e l e a s e o f P r e s s u r e :
N o R e a c t i v e : N o I m m e d i a t e
(A c u t e) : Y e s D e l a y e d
(C h r o n i c) : Y e s

EPCRA 311/312 Chemicals and RQs (lbs):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

Triethanolamine

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

Safety Data Sheet

Aladdin 6100

SDS Revision Date:

08/14/2015



We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H319 May cause serious eye irritation.

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.

All reasonable care has been taken to ensure that the above information is accurate as of the date of printing. Freedom to use any patent owned by Gates Engineered Lubricants or others is not to be inferred from any statement contained herein. The test results listed are typical properties only. Gates Engineered Lubricants strives for improvement in all of our products. Formula and blending changes may result in slight color and/or appearance changes.

End of Document